

Exam : HP HP0-335

**Title : HP OpenView Operations
(OVO) I 8.x UNIX**

Version : Demo

1. In which two ways can the message buffer file size limit be set? Select TWO.

- A. in the opcsvinfo file
- B. in the node communication options window
- C. via the ovconfchg command
- D. in the msgagtdf file

Answer: BC

2. Choose four benefits of the HP OVO "State-based Browser" feature from the list below. Select FOUR.

- A. new message replaces previous message
- B. messages are only displayed in the Message Browser if the desired state is NOT met
- C. status of objects (MsgGroup, Service, Node) is updated
- D. provides a dedicated filter browser for all messages being in a certain state - e.g. "all critical", "all major"
- E. the "state-based browser" displays exactly the subset of messages filtered via the selected service icon in the OVO Service Navigator service map.
- F. browser reflects the current status of the object
- G. operator is not distracted by outdated messages.

Answer: ACFG

3. How can you show an overview of the service hierarchy in Service Navigator? Select TWO.

- A. By selecting View -> Navigation Panel in the menu
- B. By selecting part of the Service Graph, right mouse clicking on Navigation Panel
- C. By running opcsvcattr with the navig attribute
- D. By clicking on the Toggle Navigation Panel?button in the toolbar

Answer: AD

4. OVO applications are scripts and /or programs which are easily integrated into OVO.

In the 'Add OVO Application' window, the output mode can be defined.

A password must be defined by default in the _____ mode.

- A. No Window (X-application)
- B. Window (Output only)

- C. Window (Input/Output)
- D. Window (Full control)

Answer: C

5. What are three attributes of the OVO agents? Select THREE.

- A. They can run autonomously.
- B. They confirm each action with the management server before execution.
- C. They perform automatic reconfiguration when new monitored objects have been detected.
- D. They can utilize immediate local actions.
- E. They have signed configuration to avoid misuse.

Answer: ADE

6. Which two of the following are bundled with OVO? Select TWO.

- A. SNMP agent
- B. ECS engine
- C. Network Node Manager
- D. SNMP management platform
- E. OV Performance Manager

Answer: BC

7. What three kinds of data are stored in the OVO Oracle database? Select THREE.

- A. OVO messages (events)
- B. ovw maps (like lpmap)
- C. OVO Audit information
- D. OVO actions/applications/scripts
- E. OVO configuration (policies, users, message groups, etc.)

Answer: ACE

8. One of the features of the Java GUI is the ability to configure a pop-up dialog when a specific message comes into the browser.

The condition checked in the incoming message is the _____.

- A. text of the message
- B. severity of the message
- C. number of duplicates for the message
- D. object of the message

Answer: B

9. When configuring the feature "notification when a new message with a specific severity comes into the browser" in the Java GUI, the administrator can choose _____.

- A. whether a pop-up dialog box should come up or an application must be locally executed
- B. the severity, the object and the text that must match before receiving a notification
- C. whether the pop-up dialog box should also come up in the Motif GUI
- D. whether the notification must be forwarded to the notification services or to the event correlation manager

Answer: A

10. What is the default setting for colored lines in the message browser?

- A. The whole line is colored according to the message severity.
- B. No color.
- C. In the active browser, only the severity column is colored. In the history browser, the whole line is colored according to the message severity.
- D. Only the severity column is colored.

Answer: D