



[HP HP0-409](#)

Exam Name: OVIS/OVTA

Q & A : 70 Q&As

Pdf Demo

Quality and Value for the HP0-409 Exam

[Just4Exams Practice Exams](#) for HP Certification I HP0-409 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-409 Exam

If you do not pass the Certification I HP0-409 exam on your first attempt using our Just4Exams **HP0-409 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-409 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-409 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-409

Title : OVIS/OVTA

1. A customer is using an OVIS HTTP_TRANS probe and OVTA to monitor their web application. If the developer changes the application code, it may be necessary to _____. Select TWO.

- A. Restart the OVTA transaction agent on the application server
- B. Re-record the HTTP_TRANS probe
- C. Re-install the OVTA transaction agent on the application server
- D. Restart the JD node agent on the application server
- E. Modify the transaction classification rules on the OVTA measurement server

Answer: BE

2. What metrics are provided in the Memory/Heap Tab of Java Diagnostics. Select TWO.

- A. Garbage Collection Events
- B. Method Compilation Count
- C. Allocating Method Statistics
- D. Java Method Hotspots
- E. Loaded Classes

Answer: AC

3. How is OVTA client monitoring data displayed?

- A. In the Application Infrastructure view
- B. In the Trace view and display the call graph
- C. In the Summary view and click on a response violation
- D. In the User Experience window and click the Client Monitors check box

Answer: D

4. Scheduled downtime can be applied to _____. Select THREE.

- A. A Service Group
- B. A Service Target
- C. A WEBAPP Application Target
- D. A Probe Location
- E. A Customer

Answer: ABE

5. What is one way to maximize monitoring capabilities for transaction classification?

- A. In the OVTA Console, highlight a transaction type from the navigation panel and select File -> Edit
- B. In the Configuration Editor, highlight a measurement from the HTTP Monitoring navigation panel and select the Edit button
- C. In the OVTA Console, highlight a transaction type from the navigation panel, right-mouse-click and select Edit
- D. In the Java Diagnostics GUI, highlight a transaction type from the HTTP Monitoring navigation panel and select the Edit button

Answer: B

6. An OVIS response time service level objective is exceeded. What occurs in the Dashboard?

- A. A red icon indicating critical service level violation will always appear against the target
- B. A service level violation alarm appears in the Alarms tab for the target
- C. If a corresponding SLA is configured, an SLA conformance violation appears
- D. The SLO violation count is incremented by one for the target

Answer: D

7. Which of the following statements is correct regarding OVIS probe systems?

- A. Probe Systems can only be Microsoft Operating Systems based, (Win2K, Win2003, WinXP).
- B. Due to performance requirements, Probe Systems must be a dedicated machine serving no other purpose.
- C. Probe Systems can be either Windows, Solaris, or HP-UX based.
- D. OVIS probes can run on AIX systems.

Answer: C

8. What configuration steps are needed in the Configuration Editor in order to retain OVTA data for three months?

- A. In the Measurement Server panel -> Archiving panel, change "Detailed Statistics Retention" to 90 days
- B. In the Database panel -> Archiving panel, change "Detailed Statistics Retention" to 90 days
- C. In the Database panel -> Archiving panel, change "Summarized Statistical Retention" to 90 days and restart the measurement server
- D. In the Measurement Server panel -> Archiving panel, change "Summarized Statistical Retention" to 90 days and restart the measurement server

Answer: D

9. Where would you place your OVIS probe system to collect measurement data that more closely matches the experience of the external customer that is using your website?

- A. Locate all your probes locally on the OVIS Management station inside the corporate firewall
- B. Locate your probe station outside your firewall and inside the DMZ
- C. Locate your probe station outside the corporate firewalls and outside the DMZ
- D. Location does not matter because all data is the same

Answer: C

10. Which user account is used to record a transaction using the Web Transaction Recorder?

- A. Local Administrator
- B. Domain Administrator
- C. SYSTEM
- D. The currently logged in user

Answer: D

11. Why could JDBC sub-component measurements be missing in the Application Infrastructure View of the OVTA Console? Select THREE.

- A. The Transaction Tracing sampling factor for the particular top-level transaction has been set to zero.
- B. At least 5 minutes has not passed to allow the measurements to appear at the OVTA Measurement Server.
- C. SQL Trace Sampling has not been enabled for the managed node being monitored.
- D. No transactions that contain JDBC method calls have been measured by OVTA due to custom classification rules.
- E. The J2EE Application was not restarted after installing the OVTA managed node components and running the post-install configuration command.

Answer: BDE

12. Your colleague says they are seeing data arrive in the Heap Monitor window but they are not seeing a particular Java method show up in the Java Method Hotspot display. What steps would you recommend to your colleague to troubleshoot this problem? Select THREE.

- A. Ensure that the OVTA ARM Collector is running on the managed node.
- B. Check the session "exclusive" filters to ensure that they have not accidentally filtered the class you expect to see.
- C. Verify in the Java Method Hotspots display that the transaction filter that they used to launch into Java Diagnostics shows the proper transaction filter.
- D. Verify that the transaction is actually being measured by an OVTA measurement target configuration.
- E. Verify that the correct JVM instance has been attached to on the managed node.

Answer: BCE

13. Which versions of OVIS are supported in the upgrade to OVIS 6.x? Select TWO.

- A. OVIS 4.5
- B. OVIS 3.5
- C. OVIS 2.0
- D. OVIS 3.0
- E. OVIS 5.x

Answer: AE

14. In the OVIS Health workspace, which view displays the number of service level violations, the number of alarms and the service availability?

- A. Alarm Tab
- B. Trends Tab
- C. Summary Tab
- D. Target Status

Answer: C

More [HP0-409 Braindumps](#) Information

Related HP0-409 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-Y11	HP0-M22	HP0-P10	HP0-P17

Other HP Exams

HP0-725	HP0-207	HP2-061	HP0-J25	HP0-S11
HP0-236	HP0-M29	HP0-242	HP0-Y11	HP0-045
HP0-781	HP0-A03	HP0-782	HP0-J19	HP0-698
HP0-821	HP0-J22	HP0-850	HP0-M24	HP0-M23