HP HP0-451

Exam Name: *Radia v4 Foundation Exam*

Q & A : *70 Q&As*

Pdf Demo

Quality and Value for the HP0-451 Exam

Just4Exams Practice Exams for HP Certification II HP0-451 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-451 Exam

If you do not pass the Certification II HP0-451 exam on your first attempt using our Just4Exams ***HP0-451 testing engine and pdf study guide***, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-451 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a ***Certification II certification*** examination. Details are researched and produced by ***HP Certification*** Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-451 Exams:
This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-451
Title : Radia v4 Foundation Exam

1. Which entry in ZTASKEND will queue messages to be processed first?
A. qmsg -priority 30 -to INVENTORY.WBEM
B. qmsg -priority 20 -to INVENTORY FILEPOST
C. qmsg -priority 10 -to INVENTORY.WBEM
D. qmsg -priority 20 -to APPEVENT
Answer: C

2. When using a single Radia Application Manager schedule for all Radia Clients, what is the FREQUENCY choice that will reduce concurrent connections to the Radia Configuration Server?

A. PERIODIC
B. COP
C. IMMEDIATE
D. RANDOM
Answer: D

3. Which mode should be used to publish applications that do not support creation of an Administrative Installation Point (AIP)?
A. Advanced
B. Component Selection
C. Basic
D. Installation Monitor
Answer: C

4. When assigning Policy in the Policy Server what is the strongest to the weakest level?
A. --,-,++,+
B. ++, - -, +, -
C. - -, ++,-,+
D. +,-,++,--
Answer: C

5. What is the Radia Client executable that is the daemon/service that accepts the notification request?
A. RADEXECT
B. RADEXECD
C. RADCONCT
D. RADPINIT
Answer: B

6. Where would you find the Radia Proxy Server's default directory for pre-loaded data?
A. C:\Novadigm\IntegrationServer\data\rps\pre-load
B. C:\Novadigm\IntegrationServer\data\rps\static
C. C:\Novadigm\ProxyServer\data
D. C:\Novadigm\IntegrationServer\data\rps\
Answer: B

7. What is the feature that will load instances within the Radia Configuration Server into memory to speed resolution?
A. Content Cache
B. Manager Pools
C. Index Cache
D. Memory Index Allocation
Answer: A

8. During the Radia Distributed Configuration Server (RDCS) differencing phase, in what state is the Radia Configuration Server (RCS) database?
A. Unlocked
B. Open-Lock
C. Soft-locked
D. Hard-locked
Answer: C

9. The following values exist within a rim.cfg file.
msg::register rim {
TYPE HTTP
ADDRESS {
PRI 10
URL http://128.135.135.12:3466/proc/rim/default
}
ADDRESS {
PRI 20
URL http:// 128.135.135.115:3466/proc/rim/default
}
ADDRESS {

PRI 20
URL http:// 128.135.135.118:3466/proc/rim/default
}
Where will Radia Inventory Manager data be sent to first?
A. http://128.135.135.12:3466
B. http://128.135.135.118:3466
C. Either http://128.135.135.115:3466 or http://128.135.135.118:3466
D. http://128.135.135.115:3466
Answer: A

10. What is the object that contains the hardware information when the Radia Client connects are initiated?
A. ZMASTER
B. ZCONFIG
C. ZHWINFO
D. ASERVICE
Answer: B

11. Select the reasons why a Radia Client would fail while attempting to retrieve the required data from the Radia Proxy Server. Select TWO.
A. The dynamic option is disabled
B. The restart has failed for retry
C. The synchronization has not occurred
D. The dynamic option is enabled
E. The check point restart has not been enabled
Answer: AC

12. What is the default value for the ZRSCVRFY attribute for files within the Windows System DLL?
A. E
B. Y
C. N
D. U
Answer: D

13. Which objects are delivered to the Radia Inventory database when the Radia Client encounters a client-executable error? Select TWO.
A. ZCONFIG
B. ZERROR
C. ZSVCSTAT
D. ZSTATUS
E. DMSYNC
Answer: BD

14. Click the Exhibit button.
The attached graph was created using the Log File Analyser tool. This information represents the Virtual Storage Utilization of a Radia Configuration Server. The Configuration Server has 2 Gigabytes of memory installed.
What conclusions can be drawn from the chart above? Select TWO.
A. the CPU has become overloaded between 2:52 pm and 3:00 pm
B. the Radia Configuration Server is performing a Radia Distributed Configuration Server synchronization between 2:52 and 3:00 pm
C. the Radia Configuration Server is denying new client connections between 2:52 pm and 3:00 pm
D. the Task Limit has been reached on the Radia Configuration Server
E. the memory on the Radia Configuration Server overloaded between 2:52pm and 3:00pm
Answer: CE

15. What is the feature that will keep the names of instances in memory to aid in generic resolution processes?
A. Content Cache
B. Manager Pools
C. Index Cache
D. Memory Index Allocation
Answer: C

More ***HP0-451 Braindumps*** Information

Related HP0-451 Exams				
HP0-461	HP0-704	HP0-727	HP0-634	HP0-655
HP0-664	HP0-661	HP0-517	HP0-662	HP0-698
HP0-719	HP0-449	HP0-703	HP0-702	HP0-671
HP0-660	HP0-601	HP0-633	HP0-460	HP0-656

Other HP Exams				
HP0-A24	HP0-J33	HP0-823	HP0-505	HP0-874
HP0-790	HP0-092	HP2-T13	HP0-302	HP0-D06
HP0-E01	HP0-M20	HP0-J15	HP0-068	HP0-080
HP0-D01	HP0-J27	HP0-771	HP0-266	HP0-263