



## [HP HP0-756](#)

**Exam Name:** HP ProCurve Secure Mobility Solutions

**Q & A :** 57 Q&As

**Pdf Demo**

### **Quality and Value for the HP0-756 Exam**

[Just4Exams Practice Exams](#) for HP Certification I HP0-756 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your HP0-756 Exam**

If you do not pass the Certification I HP0-756 exam on your first attempt using our Just4Exams **HP0-756 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive HP0-756 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free HP0-756 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : HP HP0-756

Title : HP ProCurve Secure Mobility Solutions

1. The 700wl system's adaptive guest support enables the system to \_\_\_\_\_.
- A. identify guests who should not be permitted to access any network resources
  - B. support guests whose computers are configured for 802.11a wireless connectivity
  - C. support guest computers with network settings that are incorrect for the host network
  - D. filter guest traffic according to individual guests' identities and relationship with the hosting enterprise

Answer: C

2. To enable the Automatic HTTP Proxy Service for guest users, you must define proxy server addresses for \_\_\_\_\_.

A. the "Guest Access" Access Policy

- B. each 720wl that will support guest users
- C. each Connection Profile that will support guest users
- D. every component of the 700wl system

Answer: B

3. Which statement is true about the date and time configuration of the 700wl devices?

- A. Time settings must be dynamically acquired or statically defined each time the 740wl is rebooted.
- B. The 740wl can be configured to obtain time services from an NTP server.
- C. The 740wl and each 720wl cannot be configured to obtain time services from different servers.
- D. The 720wl acquires its time settings from the 740wl.

Answer: B

4. You must configure a 720wl that has not received an IP address through DHCP. How can you configure an IP address for this system?

- A. Use the Administrative Console to locate the 740wl by its MAC address and select it from the list of available devices.
- B. Start a web browser session using the default IP address 42.0.0.1.
- C. Start a web browser session using the factory-assigned IP address of the uplink port.
- D. Start a Telnet session with the default IP address 42.0.0.1.
- E. Start a direct serial console session and configure the device's IP address at the CLI.

Answer: E

5. At a customer site, you are configuring an HP ProCurve Access Control Server 740wl. Which tasks can be performed at the CLI? Select TWO.

- A. configure IP address
- B. configure a connected 720wl
- C. set administrative password
- D. add users to built-in database
- E. configure LDAP authentication

Answer: AC

6. The administrator of a 700wl system is performing a remote update on multiple 720wl devices. To simplify this task, the administrator changes the names of the image and checksum files. The administrator is careful to not change the file extensions. The update will \_\_\_\_\_.

- A. fail on devices currently running version 3 software
- B. succeed for all devices
- C. fail for all devices
- D. fail if it is not performed at the CLI

Answer: C

7. The administrator of a 700wl system can associate limitations on days and hours of network access with the \_\_\_\_\_.

- A. Identify Profile
- B. Authentication Policy
- C. Connection Profile
- D. Access Policy

Answer: C

8. When organizing 720wl Access Controllers into folders in the Administrative Console, you cannot \_\_\_\_\_.

- A. place more than five devices in a folder
- B. create folders within folders
- C. create custom folders
- D. configure more than five folders

Answer: B

9. You are configuring a 740wl at a customer site. To set the shared secret without echoing it to the console, you must enter set sharedsecret with \_\_\_\_\_.

- A. the noecho parameter
- B. the shared secret as a parameter
- C. no parameters
- D. the administrative password

Answer: C

10. When you are performing a backup on the 740wl, the system \_\_\_\_\_.

- A. creates an image of the system and copies it to the default directory on a TFTP server
- B. creates an image of the system and copies it to its hard disk
- C. creates a text file that contains all of the configuration settings and copies it to a directory of your choice on the HTTP client computer
- D. logs off all users before beginning the backup

Answer: B

11. A user at a customer site connects to a port on a 720wl with a wireless PC. The 700wl system will make a Rights Assignment for this client \_\_\_\_\_.

- A. immediately after the client is authenticated
- B. when the client first attempts to access an intranet server
- C. when the client submits authentication credentials
- D. immediately after the client sends an IP packet

Answer: D

12. You are troubleshooting an HP ProCurve Integrated Access Manager 760wl that is not reachable through the web or Telnet. Which information about the device's configuration can be gathered from the LCD panel on the device's front panel? Select TWO.

- A. system time
- B. system uptime
- C. IP addressing information
- D. number of transmitted packets
- E. installed software version

Answer: CE

13. A 700wl system at a customer site uses the default "Guest Access" Access Policy. What must be done to enable guest users to access the Internet?

- A. configure a custom "Internet" Redirected Traffic Filter for guest users
- B. configure the 700wl system to allow all guest IP traffic
- C. associate the "Outside World" Allowed Traffic Filter with the Access Policy
- D. make no configuration changes because Internet access is enabled by default

Answer: C

14. Address variables \_\_\_\_\_.

- A. are required in custom traffic filters
- B. make it easier to associate a resource with multiple Identity Profiles
- C. must be used in tcpdump expressions instead of actual IP addresses
- D. make it easier to update traffic filters if the address of a resource changes

Answer: D

15. Which statement is true regarding this naming convention? 740wl-760wl-dist-4.1.1.37. The file \_\_\_\_\_.

- A. is invalid because the filename has no extension
- B. is designated for use in local updates
- C. must be compiled before installation
- D. must be accompanied by a checksum file

Answer: B

More [HP0-756 Braindumps](#) Information

#### Related HP0-756 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-M22	HP0-Y11	HP0-P10	HP0-P17

#### Other HP Exams

HP0-S21	HP0-601	HP0-276	HP0-M14	HP0-644
HP0-866	HP0-794	HP0-J18	HP0-064	HP0-517
HP2-Q01	HP0-D02	HP0-J21	HP0-438	HP0-704
HP0-784	HP0-Y20	HP2-T13	HP0-757	HP0-324