



## [HP HP0-762](#)

**Exam Name:** NonStop Kernel Platform Support

**Q & A :** 124 Q&As

**[Pdf Demo](#)**

### **Quality and Value for the HP0-762 Exam**

[Just4Exams Practice Exams](#) for HP Certification I HP0-762 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your HP0-762 Exam**

If you do not pass the Certification I HP0-762 exam on your first attempt using our Just4Exams **HP0-762 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive HP0-762 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free HP0-762 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : HP HP0-762

Title : NonStop Kernel Platform Support

1. The time of the last configuration change can be found in the fileinfo 'last modified' field for which file?

- A. \$system.zsysconf.confsave
- B. \$system.sysnn.confbase
- C. \$system.sysnn.confext
- D. \$system.zsysconf.config

Answer: D

2. Which command used by TM/MP copies audited files to either disk or tape?

- A. dump files

- B. recover files
- C. relocate diskdumps
- D. copy files

Answer: A

3. Which type of audit records only appear in the master audittrail?

- A. alter file
- B. file rename
- C. abort
- D. insert

Answer: C

4. If the Ccontext file does not have a CIIN entry and the CIIN option is disabled during system load, the initial TACL will

- A. start and remain in a logged-off state
- B. hang until restarted from the OutsideView session
- C. start and remain logged on as the Super ID
- D. not start until the #CLCI window is opened on TSM

Answer: C

5. What is the last procedure run by INITENV to check the DSM/SCM configuration?

- A. ZPHCHK
- B. INITDSM
- C. VERIFYI
- D. INITSTAT

Answer: C

6. What are the most common disk drive problems? Select TWO.

- A. space problems
- B. file corruption
- C. auditing problems
- D. data inconsistencies
- E. defective tracks or sectors

Answer: AE

7. When adding a SNAX/XF (T9064) IPM containing IOP object and Profile code, what steps must be performed?

- A. Stop and start the lines, sub units, and devices.
- B. Abort line sub all, then stop and delete the device.
- C. Abort and start the lines, sub units, and devices.
- D. Stop the lines, sub units, and devices, then cold load.

Answer: B

8. What can be used to generate a report of release levels/IPMs installed?

- A. Guided Configuration Tool
- B. DSM/SCM
- C. TSM Service Connection
- D. CNFGINFO

Answer: B

9. Where can you obtain suggested repair actions for system alarms?

- A. SCF INFO ALARM
- B. TSM Event Viewer
- C. Service Connection
- D. Low Level Link

Answer: C

10. Measure collects data for which of the following entity types? Select TWO.

- A. TSM
- B. SERVERNET
- C. ADAPTER
- D. OSS
- E. USERDEF

Answer: BE

11. Where can you find information about recently discovered problems that can cause an outage?

- A. TIPS
- B. TWS
- C. TIM online NSK Support collection
- D. Customer Services Guide

Answer: C

12. Which TM/MP configured attribute does NOT increase the level of protection?

- A. auditdump on
- B. copies 2
- C. retaindepth 4
- D. medium disk

Answer: D

13. Which command can identify the current SYSnn subvolume?

- A. STATUS 0
- B. PPD
- C. SCF LISTDEV
- D. PEEK

Answer: A

14. Which TAFL built-in identifies the current Operating System release?

- A. #TOSVERSION
- B. #PROCESSORSTATUS
- C. #GETCONFIGURATION
- D. #OSLEVEL

Answer: A

15. Select TWO items to complete this sentence. Regularly dumping audit trail files is the best way to

- A. keep audit trails from overflowing
- B. secure your database in case of a system or media failure
- C. reinitialize TMF
- D. alter the size of the audit trail
- E. change the data volume configuration

Answer: AB

16. When should you perform a processor dump to tape?

- A. when there is insufficient disk space
- B. following a hard reset
- C. when the processor to be dumped is still running
- D. when all processors are halted

Answer: D

17. Which tool can be used to produce reports from the Safeguard security audit trails?

- A. SAFEART
- B. SAFETNET
- C. SQLCI
- D. SEEP

Answer: A

18. What does "degraded" mean when showing the current state of a disk path?

- A. The path of this disk drive has a state other than up.
- B. The disk cannot be accessed.
- C. The path state is unknown.
- D. The disk volume or disk path is not logically accessible.

Answer: A

19. Which tool monitors EMS events occurring in a network?

- A. TSM

- B. Viewsys
  - C. ASAP
  - D. ViewPoint
- Answer: D

20. Which parameters must be set on a program file to cause SAVEABEND file to be created if a process ABENDs? Select TWO.

- A. HIGHPIN ON
- B. SAVEABEND ON
- C. RUNNAMED ON
- D. SYMBOLS ON
- E. INSPECT ON

Answer: BE

More [HP0-762 Braindumps](#) Information

**Related HP0-762 Exams**

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-M22	HP0-Y11	HP0-P10	HP0-P17

**Other HP Exams**

HP0-065	HP0-243	HP2-061	HP0-603	HP0-336
HP0-239	HP0-263	HP0-Y19	HP0-M18	HP2-K14
HP0-J19	HP0-775	HP0-656	HP0-782	HP0-E01
HP0-821	HP0-096	HP0-075	HP0-427	HP0-764