



[HP HP0-763](#)

Exam Name: NonStop Kernel Systems Management and Operations

Q & A : 136 Q&As

Pdf Demo

Quality and Value for the HP0-763 Exam

[Just4Exams Practice Exams](#) for HP Certification I HP0-763 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-763 Exam

If you do not pass the Certification I HP0-763 exam on your first attempt using our Just4Exams **HP0-763 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-763 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-763 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-763

Title : NonStop Kernel Systems Management and Operations

1. Which DSM facility provides event collection, logging, and distribution facilities?

- A. TM/MP
- B. EMS
- C. SQL
- D. DSM/SCM

Answer: B

2. Which command allows the implementation of a TM/MP software IPM into a running TM/MP configuration?

- A. ALTER TMF

- B. ALTER PROCESS
- C. ALTER DATAVOL
- D. ALTER AUDITTRAIL

Answer: B

3. Which tool is used to revert to a previously saved system configuration database?

- A. DSM/SCM
- B. SQLCI
- C. TSM
- D. SCF

Answer: C

4. Which tool is used to view TSM alarms?

- A. SP Tool
- B. low level link
- C. service application
- D. guided replacement toolkit

Answer: C

5. You encounter the message "STATUS - * 1077 * PATHMON, TAKEOVER BY BACKUP" on a PATHWAY subsystem. What is the recommended action?

- A. Switch the PATHMON back to the configured primary processor and see if the failure occurs again.
- B. Check if there has been a process or processor failure or an operator has issued a command to switch the primary process.
- C. Ignore the message because the backup process is still running and no application outage has occurred.
- D. Perform a processor dump and provide a copy of the EMS log and PATHWAY PATHCTL file to your support service provider.

Answer: B

6. What is the objective of capacity planning?

- A. To justify the return on investment and determine user community satisfaction.
- B. To ensure the system is fully utilized and there is no resource contention.
- C. To ensure that the system is well balanced and meeting the service level agreement.
- D. To determine if or when additional capacity is needed to meet the SLA.

Answer: D

7. Burst detection and suppression is used to

- A. limit network bandwidth use
- B. delete rapid and repetitive events
- C. minimize voltage fluctuations
- D. control the growth of SQL tables

Answer: B

8. Which TSM application sets the VADS (Value Added Diagnostics) password?

- A. low level link
- B. notification director
- C. SP tool
- D. service connection

Answer: B

9. Which utility is used to determine the current number of index levels in a key-sequenced file?

- A. NSX
- B. PEEK
- C. FUP
- D. TCM

Answer: C

10. What are the benefits of running a program in native mode? Select TWO

- A. allows TNS and native code to be combined
- B. allows to run as high-PIN
- C. object file size is significantly larger
- D. larger stack space is supported
- E. runs faster than TNS and accelerated code

Answer: DE

11. What is NOT a reason for audit-trail files to be pinned on an audit-trail volume?

- A. might be needed to restart TMF
- B. might be needed to recover datavolume
- C. might be needed to stop and start RDF updaters
- D. current file

Answer: C

12. Which facility is used to forward events from the primary collector (\$0) to the TSM console?

- A. EMS alternate collector
- B. compatibility distributor
- C. EMS trap subagent
- D. TSM service application

Answer: B

13. Which NonStop Himalaya S-series NonStop Kernel tool is used to perform capacity planning?

- A. TPM
- B. TPDC
- C. TCM
- D. GPA

Answer: C

14. Processor lock-step processing, mirrored disks, and TM/MP support which key feature of the NonStop Himalaya server?

- A. data integrity
- B. linear expandability
- C. manageability
- D. security

Answer: A

15. How do EMS filter tables simplify the writing of filters?

- A. They can be used with both collectors and distributors.
- B. They are text files that do not require compilation.
- C. They cannot be modified dynamically.
- D. They allow specification of individual token values.

Answer: B

16. Which SCF command will save the current disk configuration to a file named CONF0102?

- A. SAVE CONFIGURATION CONF0102
- B. SAVE CONFIGURATION 1.2
- C. SAVE DISK, FILE CONF0102
- D. OBEY FORM /OUT CONF0102/ DISK

Answer: B

17. What is the maximum number of lines a SWAN concentrator can support?

- A. 6
- B. 8
- C. 16
- D. 32

Answer: A

18. What is an indicator of a poorly performing system?

- A. page-faults of 0.01 per second
- B. processor imbalance of 5 %
- C. queue-length of 10
- D. transaction rate of 10 transactions per second

Answer: C

19. Which facility automatically delivers customized support information?

- A. IPM scout
- B. Express Notice

- C. Compaq TWS
- D. Integrity scout

Answer: B

20. Which command monitors system and application Event Management Service (EMS) messages?

- A. STATUS prog *, cpu *, out \$home, detail on
- B. EMSDIST type p, collector \$0, textout \$home
- C. EMSVIEW in \$0, out \$term, time all ,detail on
- D. SYSLOG emslog *, outdev \$term, type f, status *

Answer: B

More [HP0-763 Braindumps](#) Information

Related HP0-763 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-M22	HP0-Y11	HP0-P10	HP0-P17

Other HP Exams

HP2-061	HP0-Y21	HP0-918	HP0-698	HP0-171
HP0-921	HP0-768	HP0-P18	HP0-J29	HP0-096
HP0-P16	HP1-P44	HP0-753	HP0-085	HP0-719
HP0-M26	HP0-J23	HP0-M15	HP0-068	HP2-033