



## **HP HP0-768**

**Exam Name:** NonStop Transaction Management Facility (TMF)

**Q & A :** 154 Q&As

**Pdf Demo**

### **Quality and Value for the HP0-768 Exam**

[Just4Exams Practice Exams](#) for HP Certification I HP0-768 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your HP0-768 Exam**

If you do not pass the Certification I HP0-768 exam on your first attempt using our Just4Exams **HP0-768 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive HP0-768 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free HP0-768 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : HP HP0-768

Title : NonStop Transaction Management Facility (TMF)

1. Which TMFCOM command requires that TMF is stopped? Select TWO.

- A. ALTER CATALOG
- B. DELETE AUDITDUMP
- C. ALTER BEGINTRANS
- D. DELETE CATALOG
- E. ALTER TMF, CONFIGVOL

Answer: AE

2. Which action does TMF perform during TMF overflow processing?

- A. Audit trails are copied from the active volume to the overflow volume.
- B. New audit trails are created on the overflow volume until the oldest file is unpinned.
- C. Overflow threshold is temporarily increased to the begintransdisable threshold.
- D. Audit trail files are renamed.

Answer: A

3. Which task does a TMF begin transaction perform?

- A. It marks a set of data records to be read and locked.
- B. It identifies the beginning of a logical unit of work.
- C. It starts TMF.
- D. It identifies the beginning of a new audit trail.

Answer: B

4. Which condition may occur after decreasing the number of files per active audit volume in the TMF configuration?

- A. The transaction rate will increase.
- B. The auto-abort threshold will decrease.
- C. The audit trail usage can be reduced.
- D. The begintransdisable threshold can be exceeded.

Answer: D

5. What is the purpose of data volumes in the TMF configuration?

- A. to contain the data to be protected
- B. to contain the data generated by TMF for protection
- C. to contain the TMF configuration information
- D. to contain the TMF catalog

Answer: A

6. Transaction atomicity implies that \_\_\_\_\_.

- A. only one transaction should be performed at a time
- B. all of a transaction's changes are protected from system failure
- C. all transactions should be small
- D. all or none of a transaction's changes are applied

Answer: D

7. What is the maximum number of auxiliary audit trails that can be added to a TMF configuration?

- A. 15
- B. 16
- C. 99
- D. 100

Answer: A

8. What can you do to increase audit trail capacity on a running system? Select TWO.

- A. Increase the size of the audit trail files.
- B. Add an auxiliary audit trail.
- C. Add an active audit volume.
- D. Increase the number of audit trail files per active audit volume.
- E. Free disk space on existing active audit volumes.

Answer: CD

9. Performing a TMFCOM ALTER DATAVOLS to change RECOVERYMODE from ARCHIVE to ONLINE \_\_\_\_\_.

- A. causes audit trails which may be needed for volume recovery to be restored to disk
- B. releases audit trails that were pinned on disk because they would be needed for volume recovery
- C. causes subsequent audit trails to be retained on disk for as long as they may be needed for volume recovery
- D. forces a volume recovery operation on that data volume

Answer: C

10. What is a purpose of after images in the audit trail?

- A. to allow recovery of committed transactions
- B. to enable automatic fixes to Enscribe records
- C. to keep record changes available to the application
- D. to enable compression of online files

Answer: A

11. A TMF data volume has a status of DISABLED (DIRTY). Which TMFCOM command is necessary to remove the data volume from the TMF configuration?

- A. DELETE DATAVOL <DataVol>, ALLOWINCONSISTENCY
- B. REMOVE DATAVOL <DataVol>, FORCED
- C. DELETE DATAVOL <DataVol>, IGNOREPREVIOUSCONFIG
- D. RESET DATAVOL <DataVol>, FORCED

Answer: A

12. When is it possible for multiple TMF configurations to be active at the same time?

- A. Only one TMF configuration is allowed to be active at one time.
- B. after the TMFCOM ALTER TMF, CONFPVOL command has been used
- C. when there are multiple RDF configurations in use
- D. when both master and auxiliary audit trails have been configured

Answer: A

13. TMF has been started. What actions must be performed to change the audit trail file size?

- A. stop TMF, delete the TMF configuration, add the audit trail specifying the new filesize
- B. stop TMF, alter the audit trail specifying the new filesize
- C. stop TMF, delete the TMF configuration, alter the audit trail specifying the new filesize
- D. stop the audit trail, delete the audit trail, add the audit trail with the new file size

Answer: A

14. Which TMFCOM command MUST be used prior to configuring TMF with a new audit trail?

- A. DELETE TMF
- B. INITIALIZE TMF
- C. RECONFIGURE TMF
- D. SHUTDOWN TMF, ABRUPT

Answer: A

15. What is contained in the TMF audit trail?

- A. process information for applications that generate transactions
- B. TMF configuration changes
- C. transaction statistics
- D. information required by TMF to protect audited files

Answer: D

16. Which parameter can only be configured when adding an audit trail?

- A. audit trail file size
- B. active volumes
- C. files per volume
- D. audit trail prefix

Answer: A

17. Under what circumstance is it possible to have audited data on the same volume as audit trail files which have not yet been dumped?

- A. when the volume is defined as an overflow volume
- B. when the volume is defined as a restore volume
- C. when index files or alternate key files are the only audited data files on this volume
- D. when the data is being replicated by the remote data facility (RDF)

Answer: A

18. Transaction isolation implies that \_\_\_\_\_.

- A. a transaction should only contain a single update
- B. the outcome of an uncommitted transaction is not visible to another transaction
- C. transactions should access data one record at a time
- D. transactions are only processed one at a time

Answer: B

19. What can reduce the amount of disk contention and excessive seeks during audit dump processing?

- A. mirroring disk drives

- B. configuring more than one active audit volume for an audit trail
- C. configuring more than one tape device for the audit dump process
- D. configuring more files per active audit volume

Answer: B

20. What is the relationship of TMF audit trails to data files?

- A. Audit trails contain the security access lists for access to the data files.
- B. Audit trails contain the pointers to changed records in the data files.
- C. Audit trails contain changes made to audited data files.
- D. Audit trails contain changes made to all data files.

Answer: C

More [HP0-768 Braindumps](#) Information

#### **Related HP0-768 Exams**

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-Y11	HP0-M22	HP0-P10	HP0-P17

#### **Other HP Exams**

HP0-324	HP0-G13	HP2-B11	HP0-241	HP0-085
HP0-664	HP0-M28	HP0-J32	HP0-266	HP0-401
HP0-Y13	HP0-M86	HP0-A21	HP3-C15	HP0-345
HP0-791	HP0-096	HP2-056	HP0-S21	HP0-704