



[HP HP0-775](#)

Exam Name: HP Data Protector Software Application Integration-Windows

Q & A : 128 Q&As

Pdf Demo

Quality and Value for the HP0-775 Exam

[Just4Exams Practice Exams](#) for HP Certification I HP0-775 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-775 Exam

If you do not pass the Certification I HP0-775 exam on your first attempt using our Just4Exams **HP0-775 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-775 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-775 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-775

Title : HP Data Protector Software Application Integration-Windows

1. What is the maximum number of devices used in a backup session for Microsoft Exchange?

- A. equal to the number of storage groups
- B. one for the complete backup specification
- C. equal to the number of databases within a storage group
- D. unlimited, as the storage group can be sub-divided into many objects

Answer: A

2. David uses a Virtual Library System (VLS) for backing up his Oracle archive logs and file server data. He uses a capacity based license for one terabyte. This limit is exceeded during backup. What does HP Data Protector Software do?

- A. generates a minor error and reports it
- B. generates a major error and backup stops immediately
- C. generates a critical error and notifies the HP license team
- D. generates a minor error and the next backup job will not run

Answer: A

3. Which interface does BRARCHIVE use to communicate with HP Data Protector Software?

- A. backint
- B. RMAN
- C. omnisap
- D. omnidbutil

Answer: A

4. Why do you duplicate a database with the same database identifier as the production (primary) database?

- A. testing
- B. data mining
- C. standby database creation
- D. LAN-free backup scenario setup

Answer: C

5. Which HP Data Protector Software command and option can you use to test an SAP R/3 integration using the CLI?

- A. omnib -test_bar
- B. saprest -test2_bar
- C. omnisap -config_test
- D. util_sap -<oracle_sid>

Answer: A

6. Which mode in an SAP R/3 integration prevents you from performing incremental backups?

- A. offline
- B. online
- C. backint
- D. circular logging

Answer: C

7. Which tool can be used to check the HP Data Protector Software components of an SAP R/3 integration?

- A. util_sap
- B. testbar2
- C. omnisap
- D. omnidbcheck -sap

Answer: B

8. Which file system is supported for the backup of VSS writers?

- A. FAT
- B. CIFS
- C. NTFS
- D. NDMP

Answer: C

9. Which VSS writer is used to back up and restore the system resource monitoring and management infrastructure of Microsoft Windows?

- A. WMI Writer
- B. Registry Writer
- C. Resource Writer
- D. IIS Management Writer

Answer: A

10. When is the Microsoft SQL Server backup specification Concurrent streams option available for selection?

- A. when any object is selected
- B. when Inc1 backups are defined
- C. when more than one device is configured
- D. when the entire SQL server database is backed up

Answer: D

11. What must you consider if the devices used to restore a Microsoft SQL database are different from the devices used for backup?

- A. Rescan device must be enabled.
- B. The number of devices must be the same.
- C. An alternate restore location must be assigned.
- D. Force use of alternate device must be enabled.

Answer: B

12. When migrating from a Windows 32-bit cell manager to a new 64-bit machine, what must you do first to the Internal Database (IDB)?

- A. Purge any obsolete sessions.
- B. Purge the media management database.
- C. Back it up and restore it to a temporary location on the 64-bit machine.
- D. Create a copy of the database structure in a temporary location on the 32-bit machine.

Answer: C

13. You are restoring several Microsoft Exchange Server databases from the same storage group. What must you do to ensure they can all be restored in the same session?

- A. Select the Restore in parallel option.
- B. Ensure their backup versions are the same.
- C. Ensure they are all part of the same restore chain.
- D. Use a temporary location and relocate the files later.

Answer: B

14. Which location is used by HP Data Protector Software to restore Microsoft Exchange transaction logs?

- A. a directory specified for temporary log files
- B. the Exchange server transaction log directory
- C. the MStemp directory on the HP Data Protector Software Cell Manager
- D. a temporary tablespace in the HP Data Protector Software Internal Database

Answer: A

15. You are restoring a Microsoft Exchange Server using the Restore into mailbox option. What must you ensure on the Exchange Server before starting the restore?

- A. transaction logging is off
- B. destination mailbox exists
- C. recovery mode is enabled
- D. Microsoft Exchange Server services are stopped

Answer: B

16. To communicate with the database, the Database Integration Agent needs access information for the application. Where is this information stored?

- A. datalist configuration on the Cell Server
- B. database application and the Cell Server
- C. online integration configuration of the application
- D. zero downtime backup component of the Cell Server internal database

Answer: B

17. Which Microsoft SQL integration option allows you to backup more than one database at the same time to available devices?

- A. load balance
- B. device concurrency
- C. database parallelism
- D. number of concurrent streams

Answer: C

18. What must be done to configure HP Data Protector Software online integration for an Oracle Data Guard standby system?

- A. You must locally reconfigure the standby system.
- B. Configuration must be done on the Cell Manager system only.
- C. The configuration must be distributed manually to all three servers.
- D. The standby and the primary system must be configured individually.

Answer: B

19. How does HP Data Protector Software back up the Oracle server configuration files?

- A. with the RMAN API
- B. through the Disk Agent
- C. by using the UMA utility
- D. by submitting the ob2rman.pl command

Answer: B

20. What is the process when configuring the Microsoft Volume Shadow Copy Writers integration in a single server HP Data Protector Software environment?

- A. Writers are automatically detected when the VSS specification is created.
- B. Set the backup flag of the VSS configuration file on the client and register the client with the cell.
- C. Add the VSS configuration file to the application bin directory and register the application in the cell.
- D. Use the VSSadmin command to configure each application writer for the number of shadow copies and valid time options.

Answer: A

21. HP Data Protector Software integration depends on which SAP component?

- A. kernel
- B. archiver
- C. BRTOOLS
- D. BRCONFIG

Answer: C

22. Which conditions must be met when you duplicate a database with the HP Data Protector Software Oracle integration? (Select two.)

- A. Net service name for the auxiliary instance must be configured.
- B. The entire primary database, together with the archived log files, must be backed up.
- C. Duplicating a database on the same system that the target database resides is not supported.
- D. Archive logs that have not been backed up to tape since the last full backup, are not required for duplication.
- E. To prepare for database duplication, you must first create an auxiliary instance and start it in Mount mode.

Answer: AB

23. What must you do before you can check the Microsoft Exchange Server single mailbox configuration?

- A. Create a system account on the Cell Manager.
- B. Create at least one single mailbox backup specification.
- C. Add the exchange server IP address to the allow_hosts file.
- D. Run the omnichk command with the -singlemailbox option.

Answer: B

24. How are Oracle backups marked in the HP Data Protector Software internal database, regardless of the Oracle backup type?

- A. full
- B. differential
- C. incremental
- D. transaction

Answer: A

25. When creating a backup specification for a Microsoft Exchange Server, what is the recommended maximum number of devices connected directly to the server?

- A. 2
- B. 3
- C. 4
- D. 5

Answer: A

26. What is used by HP Data Protector Software to integrate with databases and to allow the backup and restore of logical units for the application?

- A. database driver files (DDFs)
- B. database link libraries (DLLs)
- C. application disk agents (ADAs)
- D. application programming interfaces (APIs)

Answer: D

27. What is the device concurrency used for Microsoft SQL Server backups?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: A

28. How do you back up Microsoft Exchange databases within a storage group?

- A. in parallel
- B. sequentially
- C. oldest files first
- D. longest filenames first

Answer: B

29. Where must you specify the login credentials with util_oracle8.pl to configure a new Oracle standby database?

- A. Oracle database server
- B. on each Oracle standby instance
- C. HP Data Protector Software Cell Manager
- D. database server and the standby systems

Answer: B

30. Where must the Microsoft Exchange Server pre-exec and post-exec commands and scripts reside?

- A. <Data_Protector_home>libexchange on the Cell Manager
- B. <Data_Protector_home>binexchange directory on the Cell Manager
- C. <Data_Protector_home>lib on the Microsoft Exchange Server system
- D. <Data_Protector_home>bin directory on the Microsoft Exchange Server system

Answer: D

More [HP0-775 Braindumps](#) Information

Related HP0-775 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-Y11	HP0-M22	HP0-P10	HP0-P17

Other HP Exams

HP0-J33	HP0-A03	HP0-M86	HP0-A01	HP0-065
HP0-J12	HP3-C15	HP0-704	HP0-M22	HP2-F01
HP0-425	HP0-083	HP0-409	HP0-J17	HP0-J21
HP0-J34	HP0-085	HP0-J14	HP2-K09	HP0-775