



## [HP HP0-780](#)

**Exam Name:** *NonStop Structured Query Language (SQL)*

**Q & A :** 156 Q&As

***Pdf Demo***

### **Quality and Value for the HP0-780 Exam**

[Just4Exams Practice Exams](#) for HP Certification I HP0-780 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your HP0-780 Exam**

If you do not pass the Certification I HP0-780 exam on your first attempt using our Just4Exams **HP0-780 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive HP0-780 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free HP0-780 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : HP HP0-780

Title : NonStop Structured Query Language (SQL)

1. Where is configuration information for parallel index loading maintained?

- A. in the SQL system catalog TABLES table
- B. in DEFINES and PARAMS statements
- C. in an edit file specified at command time
- D. in the SQL user catalog INDEXES table

Answer: C

2. In a one-way index partition move to an existing partition, which option is required?

- A. with exclusive access

- B. dslack
- C. format
- D. with shared access

Answer: D

3. When should you perform UPDATE STATISTICS on a table?

- A. at the same time every day, for consistency
- B. after creating a new index for the table
- C. after recompiling programs using the table
- D. when the table is created

Answer: B

4. An audited key-sequenced table is approaching capacity in terms of the maximum number of extents. Which utility can be used to make more space available within the table without turning audit off?

- A. DCOM
- B. SQLCI LOAD
- C. SQLCI COMPRESS
- D. FUP RELOAD

Answer: D

5. If an audited SQL table has been dropped in error, it may be recovered using TMF RECOVER FILES as long as an online dump has been taken previously. Once the SQL table and its associated objects have been recovered, how can the file label and catalog entries be compared?

- A. SCF LIST LABEL
- B. SQLCI CHECKTIMESTAMP
- C. TMFCOM CHECK RECOVERY
- D. SQLCI VERIFY

Answer: D

6. During an SQLCOMP of a program, the processor in which the SQLCOMP is running fails after the program has been compiled, registered in the catalog, marked as valid and SQL sensitive, but the SQLCOMP has not yet completed. What is the result?

- A. The program's entry in the catalog is invalidated.
- B. The program file is valid and SQL sensitive, but has no registration in the catalog.
- C. Both the program file and catalog entry are invalidated.
- D. Both the catalog entry and the program file are deleted.

Answer: B

7. The SQLCI MODIFY CATALOG command is used to \_\_\_\_\_.

- A. change references to node name in catalog entries
- B. change references to node number in catalog entries
- C. register remote tables in a local catalog
- D. move the catalog to a different disk

Answer: A

8. Which RESTORE option is used when restoring SQL tables and no catalog tables exist?

- A. rebuildcatalog
- B. createnewcatalog
- C. autcreatecatalog
- D. recreatecatalog

Answer: C

9. A previously tested program object has to be installed on a production system. Which compiler option can be selected to minimize compilation time?

- A. no recompile
- B. compile inoperable plans
- C. check inoperable plans
- D. register only

Answer: D

10. The S (STATUS) column in the output from a DISPLAY USE OF command shows the character \* against an object. What does the \* represent?

- A. A system error occurred.
- B. The object was not found.
- C. The object was listed previously.
- D. The primary partition of this object was not found.

Answer: C

11. The partition array EXTENDED attribute on the CREATE TABLE command for a key-sequenced table creates \_\_\_\_\_.

- A. a Format 2 table with a partition array of 8000 bytes
- B. a Format 1 table with a partition array of 8000 bytes
- C. a Format 1 table with a partition array of 31000 bytes
- D. a Format 2 table with a partition array of 31000 bytes

Answer: C

12. If a create index operation terminates abnormally, which utility is used to remove the incomplete index?

- A. sqlci drop index
- B. sqlci purge
- C. goaway
- D. cleanup

Answer: D

13. Click on the Exhibit button to show the result of a FILEINFO, STAT, PARTONLY of a base table and index.

What is the maximum number of physical I/Os needed to retrieve a base table row for a specific index value using these partitions?

- A. 2
- B. 6
- C. 8
- D. 19

Answer: B

14. Which utilities can be used to monitor SQL table space? Select TWO.

- A. SCF
- B. FUP
- C. DSAP
- D. DCOM
- E. PEEK

Answer: BC

15. Which SQLCI command sequence provides statistics about a query?

- A. DISPLAY STATISTICS; SELECT COUNT (\*) FROM TABLE;
- B. SELECT COUNT (\*) FROM TABLE; SET STATISTICS ON;
- C. SELECT STATISTICS ON; SELECT COUNT (\*) FROM TABLE;
- D. SET SESSION STATISTICS ON; SELECT COUNT (\*) FROM TABLE;

Answer: D

16. Which option of update statistics on a multi-partition table calculates the statistics in parallel on each partition and gives the most accurate results?

- A. exact
- B. probabilistic
- C. partstats
- D. sample

Answer: B

17. Which SQL utility leaves a key-sequenced table with as few index levels as possible?

- A. LOAD
- B. Dataloader
- C. COPY
- D. DUP

Answer: A

18. The MEASURE SQLSTMT RECOMPILES counter with non-zero value indicates \_\_\_\_\_.

- A. the maximum number of recompiles since process creation
- B. the SQL statement was invalid

- C. the SQL statement has invalid syntax
- D. the SQL statement was not compiled at startup

Answer: B

19. The system catalog subvolume is secured with the following security: \LOCAL.\$DSMSCM.SQL.\* owner = 1,255; security = "oooo"  
 \LOCAL.\$DSMSCM.SQL.CATALOGS owner = 1,255; security = "ngoo"

Which users are allowed to create user catalogs on \LOCAL?

- A. \LOCAL.1.\*
- B. \LOCAL.\*.\*
- C. \\*.255.255
- D. \REMOTE.1.255

Answer: A

20. The SQL catalog version number is used to \_\_\_\_\_.

- A. provide version control for all system components on a node
- B. identify the latest version of SQL objects that can be registered
- C. force the optimizer to choose a new access strategy for new SQL objects
- D. determine the release version of the NonStop operating system installed

Answer: B

More [HP0-780 Braindumps](#) Information

**Related HP0-780 Exams**

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-Y11	HP0-M22	HP0-P10	HP0-P17

**Other HP Exams**

HP0-236	HP0-J29	HP2-E19	HP0-080	HP0-205
HP0-M25	HP0-D04	HP0-401	HP0-336	HP0-094
HP0-A08	HP2-K14	HP0-771	HP0-286	HP0-678
HP0-791	HP0-A12	HP0-145	HP0-S12	HP0-632