



## [HP HP0-876](#)

**Exam Name:** *Implementing HP ProLiant Cluster Solutions for NetWare 6*

**Q & A :** 150 Q&As

***Pdf Demo***

### **Quality and Value for the HP0-876 Exam**

[Just4Exams Practice Exams](#) for HP Certification I HP0-876 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your HP0-876 Exam**

If you do not pass the Certification I HP0-876 exam on your first attempt using our Just4Exams **HP0-876 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive HP0-876 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free HP0-876 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : HP HP0-876

Title : Implementing HP ProLiant Cluster Solutions for NetWare 6

1. What is the safest procedure to follow if a fault occurs during backup of a cluster?

- A. Point the tape backup software to a logical network drive served by the cluster rather than the drive of an individual physical node.
- B. Restart the backup session from the beginning of the process.
- C. Configure the backup software to switch to the partner node and resume the backup.
- D. Restart the backup session from a period before the beginning of the fault.
- E. Restart the backup session and back up only those files with their archive bit set.

Answer: B

2. Which RAID level is appropriate for a business that requires both the highest performance of the storage system and the lowest risk to

data?

- A. 0
- B. 1
- C. 1+0
- D. 4
- E. 5
- F. 3/5
- G. Advanced Data Guarding

Answer: C

3. You have installed cluster-aware applications on a cluster and want to take advantage of protected memory space for high availability. Which method should you deploy to use the protected memory space?

- A. Load and unload scripts
- B. Cluster-aware applications
- C. Compaq Management Agents
- D. Novell Cluster Services Loadable Modules agents

Answer: A

4. Which two RAID levels should you use to ensure fault tolerance in RA4100 shared storage? (Choose two.)

- A. 0
- B. 1
- C. 3
- D. 4
- E. 5

Answer: BD

5. To add a new Novell Cluster Services node to a cluster, which utility should be used from what location?

- A. NetWare Deployment Manager (nwdeploy.exe) from the master node
- B. NetWare Deployment Manager (nwdeploy.exe) from a NetWare client workstation
- C. NetWare Deployment Manager (nwdeploy.exe) from any cluster node
- D. NetWare Deployment Manager (nwdeploy.exe) from the node to be added

Answer: B

6. An e-commerce company experiences seasonal revenues, with the greatest sales volume occurring over the December holidays. Revenues were down last season, however, making it difficult to forecast the coming fiscal year. How should the company determine whether upgrading its cluster is justifiable in terms of cost?

- A. Average profits and expenses historically, review against latest sales projections, and compare against the cost of the upgrade.
- B. After allowing for increased productivity, determine areas where costs can be cut to allow room in the budget for the upgrade.
- C. Calculate the cost of downtime resulting from the existing cluster troubleshooting and maintenance programs and compare with the cost of the upgrade.
- D. Estimate the cost of lost business resulting from planned and unplanned downtime and use that figure to calculate the cost of business sold.

Answer: C

7. When a resource is migrated to a cluster node, which event must be initiated using a load script?

- A. Deactivate the master node
- B. Mount and dismount volumes
- C. Join a resource to a server
- D. Configure the load and unload scripts

Answer: B

8. Which tool verifies the configuration for shared storage?

- A. Nwconfig
- B. Novell Remote Manager
- C. Nwinstall
- D. Novell Storage Services 3.0

Answer: B

9. What is the default convention for naming cluster-enabled volume objects?

- A. Cluster Name\_Server Name

- B. Cluster Object Name\_Server Name
- C. Cluster Name\_Volume Name
- D. Cluster Object Name\_Volume Name

Answer: C

10. What is the optimal way to test a cluster installation?

- A. Void the cluster volume.
- B. Unplug the Fibre Channel cables.
- C. Inject a failure on the cluster-enabled volume.
- D. Migrate the cluster-enabled volume to another node.

Answer: D

11. What are two basic elements of a cluster? (Choose two.)

- A. Disaster recovery
- B. Redundant components
- C. Fault tolerance
- D. Interconnects
- E. Shared physical storage
- F. Dual data paths

Answer: DE

12. You are performing routine maintenance on a two-node cluster and are required to restart both nodes several times. What should you do to allow sufficient time for the second node to restart after the first node has been started?

- A. Change the membership property to 1.
- B. Configure the timeout property to allow a longer interval.
- C. Configure the timeout property to 1.
- D. Modify the tolerance property to allow a longer interval.

Answer: B

13. Which two items does SANworks Secure Path by Compaq use to authenticate and authorize clients? (Choose two.)

- A. Secure Path HOSTs resolution file
- B. Novell eDirectory
- C. Name-to-IP address resolution and password verification
- D. Server-to-IP address resolution and password verification
- E. Secure Path configuration database
- F. Compaq Management Agents

Answer: CE

14. To change the amount of time the master node gives to other nodes to signal their status, which cluster communication property would you access?

- A. Tolerance
- B. Heartbeat
- C. Slave watchdog
- D. Master watchdog

Answer: A

15. Which two storage systems can be configured with the offline Array Configuration Utility or cpqonlin.nlm? (Choose two.)

- A. StorageWorks Modular Array 8000
- B. StorageWorks RAID Array 4100
- C. Smart Array Cluster Storage
- D. CR3500 Shared SCSI Storage

Answer: BC

16. Which three tasks are required when configuring shared storage on a StorageWorks Modular Array 8000? (Choose three.)

- A. Adding drives to the new storage subsystem
- B. Ensuring new logical unit numbers are accessible
- C. Configuring the HSG80 controller ports to the appropriate topology
- D. Adding more cache to the HSG80 controllers

Answer: ABC

17. Which two characteristics define cluster-aware applications? (Choose two.)

- A. They have been written to take advantage of the Novell Cluster Services application programming interface.
- B. They behave in the same manner as they do on a stand-alone server.
- C. They have been written for the automatic creation and configuration of the cluster resources and groups.
- D. They do not have the ability to automatically initiate a failover upon sensing an application fault.
- E. They behave in a manner that requires changes to the configuration of an application on one node to be manually replicated to the standby application.

Answer: AC

18. What type of communication occurs over a dedicated Novell Cluster Services intracluster connection?

- A. Public LAN information
- B. Client data pertaining to the failed access of clustered resources
- C. Heartbeat signals and information about the health of the active cluster nodes
- D. Mirrored data between servers

Answer: C

19. Which three criteria should be considered when planning the servers for a clustering solution? (Choose three.)

- A. Business impact if server functionality is lost
- B. Network bandwidth requirements
- C. Percentage of acceptable downtime
- D. Physical distance between servers and clients
- E. Expansion requirements

Answer: ACE

20. Why is it important NOT to use hyphens in node names?

- A. Because SANworks Secure Path Manager by Compaq uses hyphens to distinguish between the node name and the cluster name.
- B. Because hyphens are illegal characters.
- C. Because a hyphen in the node name would cause the server to abend at startup.
- D. Because Secure Path Manager reserves hyphens for use when defining the data path.

Answer: A

More [HP0-876 Braindumps](#) Information

#### Related HP0-876 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-M22	HP0-Y11	HP0-P10	HP0-P17

#### Other HP Exams

HP0-216	HP0-X01	HP0-662	HP0-302	HP0-266
HP0-086	HP0-756	HP0-M18	HP0-A21	HP0-081
HP2-964	HP0-335	HP0-171	HP0-Y15	HP0-446
HP0-T01	HP2-F01	HP0-J17	HP0-Y19	HP0-M19