



[HP HP0-J18](#)

Exam Name: *Implementing HP StorageWorks EVA Solutions*

Q & A : 134 Q&As

Pdf Demo

Quality and Value for the HP0-J18 Exam

[Just4Exams Practice Exams](#) for HP Certification I HP0-J18 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-J18 Exam

If you do not pass the Certification I HP0-J18 exam on your first attempt using our Just4Exams **HP0-J18 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-J18 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-J18 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-J18

Title : Implementing HP StorageWorks EVA Solutions

1. You connect a 0C6D expansion rack to a fully equipped 2C12D rack. What is the maximum number of disk drives that can be added to achieve a supported configuration?

- A. 56
- B. 60
- C. 72
- D. 84

Answer: C

2. What is a characteristic of Vraid0? (Select three.)

- A. 4+0 PSEGs per Rstore
- B. 4 +4 PSEGs per Rstore
- C. good read and write access
- D. no disk failure data protection
- E. single disk failure data protection
- F. good read and poor write access

Answer: ACD

3. Which replication method could cause an overcommit situation? (Select two.)

- A. clone
- B. Vsnap
- C. snapclone
- D. fully allocated snapshot
- E. demand-allocated snapshot

Answer: BE

4. Click the Exhibit button. Which EVA product is being implemented?

- A. EVA3000
- B. EVA5000
- C. EVA4000
- D. EVA6000
- E. EVA8000

Answer: E

5. How many PSEGs are used in a Vraid5 Rstore?

- A. 3+1
- B. 3+2
- C. 4+1
- D. 4+2
- E. 4+3

Answer: C

6. Which factor, in addition to storage and storage growth, is a typical driver for the implementation of Enterprise Virtual Array 8000 solutions?

- A. throughput
- B. data availability
- C. backup window
- D. management cost

Answer: A

7. Which attributes are required to create a Vdisk container in Command View EVA? (Select three.)

- A. size
- B. name
- C. spare capacity
- D. redundancy level
- E. access control list
- F. source virtual disk

Answer: ABD

8. From which page would you display the loop switch property?

- A. from the rack property page
- B. from the controller property page
- C. you can not display the information
- D. from the disk enclosure property page

Answer: C

9. Through which interfaces can you enter the storage system name on a new EVA? (Select two.)

- A. Command View EVA
- B. Operator Control Panel (OCP)
- C. Environmental Monitoring Unit (EMU)
- D. Replication Solutions Manager (RSM)

E. Storage System Scripting Utility (SSSU)

Answer: AE

10. Which component in an EVA4000 subsystem is responsible for bypassing failed disk drives?

- A. fibre channel loop switch
- B. disk drive enclosure I/O module
- C. the Array controller (HSV controller)
- D. environmental monitoring unit (EMU)

Answer: B

11. What happens when I/O requests are issued to a Vdisk on the non-owning controller? (Select two.)

- A. I/O requests issued have no performance impact.
- B. A read request issued has no performance impact.
- C. A write request issued has no performance impact.
- D. A read request issued has a higher performance impact.
- E. A write request issued has a higher performance impact.

Answer: CD

12. A customer wants to purchase a new Business Copy license for their EVA. What is the snapshot license policy based on?

- A. number of planned snapshots
- B. usable capacity of the storage in the EVA
- C. usable capacity of the virtual disks replicated
- D. usable capacity of the planned snapshots/snapclones

Answer: C

13. What happens if an HSV controller reaches a critical temperature?

- A. Ungrouped disks are powered off.
- B. Cache is put in write-through mode.
- C. Unused host ports are deactivated.
- D. Array shuts down after 180 seconds.

Answer: B

14. What causes the first write overhead on an Enterprise Virtual Array?

- A. Vraid1
- B. Vdisk diagnosis
- C. metadata update
- D. controller intercommunication

Answer: C

15. You have a host connected to an EVA6000 using two HBAs. You find that the EVA is only accessible through one HBA. What are the possible causes? (Select three.)

- A. There is a faulty FC cable.
- B. The Fabric is not properly zoned.
- C. One HSV controller is powered off.
- D. Virtual disk properties are set for no failback.
- E. The wrong HBA WWID was added to the host-defined ports.

Answer: ABE

16. How many concurrent disk drive failures with an RSS could be covered with a double disk failure protection level?

- A. 0
- B. 1
- C. 2
- D. 4

Answer: A

17. When a cache battery fails on an EVA8000, why is it important to replace this as soon as possible?

- A. No units will be presented if the second battery also fails.
- B. Primary controller is disabled until cache battery is replaced.
- C. Secondary controller owns all units until battery status changes.
- D. The cache works in write through mode on the primary controller.

Answer: A

18. A Vraid5 virtual disk has been created in a 12-member disk group. What is the result of the loss of one disk?

- A. reordering of disks in each RSS
- B. reduction in the number of RSSs
- C. no change in the number of RSSs
- D. addition of a new Redundant Storage Set (RSS)

Answer: B

19. The occupancy alarm level on an EVA4000 containing one disk group is set to 90%. When will an event be generated on the Command View EVA management station?

- A. when a virtual disk is filled above 90%
- B. when 90% of space is allocated on a single disk
- C. when 90% of disk slots are occupied in the array
- D. when usage of disk space within the disk group is above 90%

Answer: D

20. Which tool is used to implement redundant paths to a Vdisk from an EVA4000/6000/8000 on an HP-UX system?

- A. SAM
- B. altPath
- C. PVlinks
- D. MPIO DSM

Answer: C

More [HP0-J18 Braindumps](#) Information

Related HP0-J18 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-Y11	HP0-M22	HP0-P10	HP0-P17

Other HP Exams

HP1-J65	HP0-S19	HP0-920	HP0-070	HP0-X02
HP0-336	HP0-914	HP0-M29	HP0-P16	HP0-P10
HP0-003	HP0-M86	HP0-782	HP3-C15	HP0-063
HP0-M26	HP0-719	HP0-M18	HP0-678	HP0-M14