

**Exam : HP HP0-J35**

**Title : HP Data Protector software  
Application  
Integration-Windows**

**Version : Demo**

1. Which filesystem is supported for the backup of VSS writers?

- A. NTFS
- B. DFSR
- C. NDMP
- D. CIFS

**Answer: A**

2. What is the primary function of an application integration agent?

- A. offline backup
- B. synthetic full backup
- C. hot database backup
- D. split mirror backup

**Answer: C**

3. What should be considered when SAP/R3 is backed up using backint?

- A. BRBACKUP cannot be used to back up SAP/R3.
- B. It is impossible to perform incremental backups.
- C. The backup objects must be manually propagated to the internal database.
- D. Hot database backup cannot be performed on the data files.

**Answer: B**

4. What is the maximum number of devices used in a backup session for Microsoft Exchange?

- A. one for the complete backup specification
- B. equal to the number of databases within a storage group
- C. equal to the number of storage groups
- D. unlimited, as the storage group can be sub-divided into many objects

**Answer: C**

5. How do you back up Microsoft Exchange databases within a storage group?

- A. sequentially

- B. oldest files first
- C. in parallel
- D. longest filenames first

**Answer: A**

6. How does HP Data Protector software back up the Oracle server configuration files?

- A. through the Disk Agent
- B. by submitting the ob2rman.pl command
- C. by using the UMA utility
- D. with the RMAN API

**Answer: A**

7. DRAG DROP

Click the Task button. Match the backup types available with Microsoft SQL integration with their descriptions.

---

Match the backup types available with Microsoft SQL integration with their descriptions.

Backup Types	Descriptions
(place here)	does not depend on other backup media
(place here)	backs up data changed since the last full backup
(place here)	available when MS SQL Server is set to bulk-logged

**Backup Types to Select**

Differential

Inc1

Full

Inc

Trans

**Answer:**

Match the backup types available with Microsoft SQL integration with their descriptions.

### Backup Types

- Full
- Differential
- Trans

### Descriptions

- does not depend on other backup media
- backs up data changed since the last full backup
- available when MS SQL Server is set to bulk-logged

### Backup Types to Select

- Differential
- Inc1
- Full
- Inc
- Trans

8. Which interface does BRARCHIVE use to communicate with HP Data Protector software?

- A. RMAN
- B. omnisap
- C. backint
- D. omnidbutil

**Answer: C**

9. How are Oracle backups marked in the HP Data Protector software internal database, regardless of the Oracle backup type?

- A. differential
- B. transaction
- C. incremental
- D. full

**Answer: D**

10. To communicate with the database, the Database Integration Agent needs access information for the application. Where is this information stored?

- A. on the Cell Manager
- B. zero downtime backup component of the cell server internal database
- C. online integration configuration of the application
- D. datalist configuration on the cell server

**Answer: A**