



## [HP HP0-M12](#)

**Exam Name:** HP WinRunner 9.2 Software

**Q & A :** 60 Q&As

**[Pdf Demo](#)**

### **Quality and Value for the HP0-M12 Exam**

[Just4Exams Practice Exams](#) for HP Certification I HP0-M12 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your HP0-M12 Exam**

If you do not pass the Certification I HP0-M12 exam on your first attempt using our Just4Exams **HP0-M12 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive HP0-M12 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free HP0-M12 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : HP HP0-M12

Title : HP WinRunner 9.2 Software

1. The process for building a functional WinRunner script goes through four steps. What are these steps? (Select four.)

- A. plan the test
- B. synchronize
- C. record steps
- D. parameterize
- E. add verification
- F. analyze results
- G. execute the test

Answer: BCEG

2. What is the default recording mode that WinRunner uses?

- A. Analog
- B. Low-level
- C. Standard / Default
- D. Context Sensitive

Answer: D

3. What is referred to as a WinRunner script that is used to initialize the working environment, including `UI_load()` and `GUI_close_all()` statements before test scripts are run?

- A. Loader script
- B. Startup script
- C. Function Library
- D. Function Generator

Answer: B

4. You are testing a banking application. At 8 AM an employee logs in successfully and it takes about 5 seconds for the main menu window to appear. At 9 AM it takes approximately 15 seconds for the main menu window to appear after login. If you were to incorporate this time difference in a script, which WinRunner feature would you use so that the script runs successfully despite the difference in time for the main menu window to appear?

- A. Verify
- B. Data drive
- C. Synchronize
- D. Parameterize

Answer: C

5. In a test, you have to record both in Context Sensitive and Analog modes. Which method should you use to switch recording from Analog back to Context Sensitive without capturing the mouse movements in the test script?

- A. Toolbar
- B. Softkey
- C. Menu command
- D. Right click (popup menu)

Answer: B

6. Click the Exhibit button.

You want to synchronize on the Status Bar with the text "Insert Done... ". Which TSL statement would meet this requirement?

- A. `wait(10);`
- B. `obj_check_gui("Insert Done...", "list1.ckl", "gui1", 16);`
- C. `obj_wait_info("Insert Done...", "label", "Insert Done...", 10);`
- D. `obj_check_info("Insert Done...", "label", "Insert Done...", 10);`

Answer: C

7. What does the function `move_locator_track()` represent?

- A. a mouse over
- B. a mouse click
- C. a keyboard entry
- D. a function key press

Answer: A

8. The test lead wants a copy of the WinRunner script you created. To provide him with a workable copy, which file or files do you need to supply? Assume that the name of the test is Test1A under which the following files and folders are included: lock, script, chklist, db, debug, exp, res1.

- A. Script.zip
- B. Test1A.zip
- C. Script, db, exp, res1 in a zip file
- D. Lock, script, chklist, and db in a zip file

Answer: B

9. Click the Exhibit button.

Which method should you use to synchronize the application after logging in?

- A. wait for a bitmap to refresh

- B. wait for a window to appear
- C. wait for an object state change
- D. wait for a process screen to complete

Answer: B

10. Upon invoking WinRunner, which feature lists the types of applications you can test?

- A. Add-In Manager
- B. RapidTest Wizard
- C. DataTable Wizard
- D. Recovery Scenario

Answer: A

11. In which file does WinRunner store user actions on the application under test captured during recording?

- A. lock
- B. script
- C. chklist
- D. debug

Answer: B

12. A test script contains both Context Sensitive and Analog recording. The script keeps failing on the window where the Analog recording is played back. Which function can you include in your script to ensure that windows and objects are in the same locations as when the test was recorded?

- A. win\_move function
- B. GUI\_load function
- C. invoke\_app function
- D. set\_window function

Answer: A

13. During recording, WinRunner "listens" to the actions a user performs on the application (and to the response from the server) and creates a log of these steps. Which language does WinRunner use to create these steps in a script?

- A. C Language
- B. VBScript Language
- C. Test Script Language
- D. Virtual User Language

Answer: C

14. How do you specify a 15-second timeout in the global timeout settings?

- A. 15
- B. 150
- C. 1500
- D. 15000

Answer: D

15. Which synchronization statement is automatically generated during recording?

- A. win\_activate("Flight Reservation");
- B. set\_window ("Flight Reservation 10");
- C. obj\_wait\_bitmap("Flights", "Img2", 6,7,8,101,114);
- D. obj\_wait\_info("Insert Done...", "label", "Insert Done...", 10);

Answer: B

More [HP0-M12 Braindumps](#) Information

#### Related HP0-M12 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-Y11	HP0-M22	HP0-P10	HP0-P17

#### Other HP Exams

HP0-085	HP0-921	HP0-D02	HP0-417	HP0-760
HP3-C15	HP0-429	HP0-638	HP0-071	HP0-S20
HP0-310	HP0-381	HP0-T01	HP2-K14	HP0-S23
HP0-763	HP0-767	HP0-A24	HP0-648	HP0-664