



[HP HP0-Y19](#)

Exam Name: ProCurve Accelerated ASE Mobility

Q & A : 63 Q&As

[Pdf Demo](#)

Quality and Value for the HP0-Y19 Exam

[Just4Exams Practice Exams](#) for HP Certification I HP0-Y19 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-Y19 Exam

If you do not pass the Certification I HP0-Y19 exam on your first attempt using our Just4Exams **HP0-Y19 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-Y19 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-Y19 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-Y19

Title : ProCurve Accelerated ASE Mobility

1. You must determine if a customer's RADIUS server will support authentication of switch management users for ProCurve switches. Which authentication method is required?

- A. PEAP
- B. PAP/SPAP
- C. MS-CHAP/MS-CHAPv2
- D. CHAP

Answer: B

2. What is the default username and password for the ProCurve Manager Management Server?

- A. username: Administrator; password: admin
- B. username: Administrator; password: value configured during installation
- C. username: Manager; password: value configured during installation
- D. username: Manager; password: password
- E. username: value configured during installation; password: value configured during installation

Answer: B

3. You connect an IP telephone that supports LLDP-MED to a port on a ProCurve Switch 5406zl. The port is a member of a voice VLAN and also requires 801X authentication. How will LLDP-MED and 801X interact?

- A. The switch will exempt the phone from the 801X requirement after confirming its LLDP-MED information.
- B. The switch will submit the phone's authentication credentials to a RADIUS server after the devices exchange LLDP-MED information.
- C. The switch will permit LLDP-MED communication with the phone after authentication is complete.
- D. The switch will use information from the phone's first LLDP-MED frame to submit its authentication credentials.

Answer: C

4. Which command, entered at the CLI of a ProCurve switch, saves the switch's running configuration to its startup configuration?

- A. write config
- B. save running-config
- C. save startup-config
- D. write memory
- E. copy running-config startup-config

Answer: D

5. What is the effect of the following command entered at the CLI of a ProCurve Switch 5406zl?

```
5406zl(vlan-100)#interface a1
```

- A. The CLI displays the status of port A1.
- B. Port A1 becomes a tagged member of VLAN 100.
- C. The CLI enters the configuration context for port A1.
- D. Port A1 is enabled.

Answer: C

6. Which ProCurve Manager Plus wizard simplifies the task of changing the SNTP server IP address parameter on 50 ProCurve 5406zl Switches?

- A. Configuration Wizard
- B. IP Networking Wizard
- C. Network Services Wizard
- D. CLI Wizard
- E. Switch Update Wizard

Answer: D

7. The front-panel security settings on a ProCurve switch are at default. How can you gain access to the CLI of the switch if the manager and operator passwords have been lost?

- A. by pressing the Reset button on the switch's front panel and holding it down until the switch restarts
- B. by pressing the Clear button on the switch's front panel and holding it down for three seconds or more
- C. by power cycling the switch and accessing the ROM console to clear passwords at the manager prompt
- D. by resetting the passwords using the Secure Access Wizard in ProCurve Manager Plus

Answer: B

8. You have defined VLAN 100 and VLAN 101 on a ProCurve Switch 5406zl, and added two ports to each VLAN as untagged members. All other switch settings are at defaults. Which additional steps are necessary to enable communications between hosts in the two VLANs? (Select two.)

- A. Add all four ports to both VLANs.
- B. Define an IP address for each VLAN.
- C. Enable IP routing globally.
- D. Configure static routes to both VLANs.
- E. Remove all four ports from the Default VLAN.

Answer: BC

9. What is the effect of the following command entered at the CLI of a ProCurve switch?

```
ProCurve Switch> enable
```

- A. Configuration changes are saved.

- B. The CLI displays an authentication prompt.
- C. The privilege level moves from Operator to Manager.
- D. All switch ports are enabled.

Answer: C

10. In ProCurve Manager Plus, which user type can configure and manage network devices but cannot add, delete, or modify user accounts?

- A. operator
- B. manager
- C. viewer
- D. administrator

Answer: A

More [HP0-Y19 Braindumps](#) Information

Related HP0-Y19 Exams

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-M22	HP0-Y21	HP0-Y11	HP0-P10	HP0-P17

Other HP Exams

HP0-766	HP0-714	HP0-P19	HP0-273	HP0-790
HP0-742	HP0-918	HP0-M17	HP0-P17	HP2-Z05
HP0-D06	HP2-061	HP0-091	HP0-J23	HP0-M30
HP0-P11	HP0-A16	HP0-055	HP0-633	HP0-644