



HP HP2-896

Exam Name: *Servicing HP Desktops, Workstations and Notebooks*

Q & A : 66 Q&As

Pdf Demo

Quality and Value for the HP2-896 Exam

[Just4Exams Practice Exams](#) for HP Certification I HP2-896 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP2-896 Exam

If you do not pass the Certification I HP2-896 exam on your first attempt using our Just4Exams **HP2-896 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP2-896 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP2-896 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP2-896

Title : Servicing HP Desktops, Workstations and Notebooks

1. Where is the boot log file located under Windows XP?

- A. Log directory
- B. PXE directory
- C. Root directory
- D. Temp directory

Answer: C

2. A customer has recently upgraded memory in a unit that supports RAMBUS. The system is not detecting the new memory. What is a possible cause?

- A. CMOS has not been configured to accept the additional memory
- B. system firmware needs to be upgraded to support over 256 MB of memory
- C. RIMM/CRIMM placement is not correct on the system board
- D. operating system has not been configured to accept the additional memory

Answer: C

3. What can cause a system to reboot unexpectedly from the operating system? Select TWO?

- A. driver conflict
- B. incorrect boot order setting
- C. loss of network connectivity
- D. memory module defect
- E. shorted hood lock

Answer: AD

4. What does Quick Boot mode do?

- A. boots directly to the network
- B. disables all POST tests
- C. disables some POST tests
- D. disables the POST beep codes

Answer: C

5. Which tool is used to calibrate a battery ?

- A. Windows CD-ROM
- B. System BIOS
- C. Battery Conservation Utility
- D. Windows Safe Mode

Answer: B

6. After replacing a processor you get an error message "CPU microcode is not found". What is the first action ?

- A. check driver for latest version
- B. test processor in a known good PC
- C. check the HP website for latest BIOS version
- D. set CMOS settings to default

Answer: C

7. The unit is unable to print while on the wireless network although it is able to print locally on the same printer. What needs to be changed in order to print through the wireless connection?

- A. update the printer driver
- B. add the printer to a wireless access point
- C. add the printer as a network printer
- D. reinstall network protocol

Answer: B

8. What does a technician need to do after replacing a failed drive in a RAID 5 solution?

- A. restore data from tape backup
- B. nothing, the system will rebuild itself
- C. set the new disk to online
- D. reconfigure the RAID

Answer: B

9. A memory upgrade is installed properly. After restarting, a memory dump error occurs. What do you do first?

- A. replace the hard disk drive
- B. restore factory defaults on unit
- C. verify that supported HP memory is installed
- D. access BIOS Setup and ensure memory is being seen

Answer: C

10. A computer often crashes after several hours of use. What is the most likely reason?

- A. hard drive is defective
- B. processor is defective
- C. airflow of the unit is hindered

D. indoor air pressure is too high

Answer: C

More [HP2-896 Braindumps](#) Information

Related HP2-896 Exams

HP2-896

Other HP Exams

HP0-J15	HP0-A17	HP0-513	HP0-066	HP0-240
HP0-173	HP0-336	HP0-790	HP0-823	HP0-D06
HP0-409	HP0-802	HP0-084	HP0-922	HP0-J38
HP0-J32	HP0-081	HP0-663	HP0-380	HP0-096