



## [Juniper Networks JN0-141](#)

**Exam Name:** Juniper Networks Certified Internet Associate, AC (JNCIA-AC)

**Q & A :** 117 Q&As

***Pdf Demo***

### **Quality and Value for the JN0-141 Exam**

[Just4Exams Practice Exams](#) for Juniper Networks JNCIA JN0-141 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your JN0-141 Exam**

If you do not pass the JNCIA JN0-141 exam on your first attempt using our Just4Exams ***JN0-141 testing engine and pdf study guide***, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive JN0-141 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [JNCIA certification](#) examination. Details are researched and produced by [Juniper Networks Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free JN0-141 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Juniper JN0-141

Title : AC Associate(JNCIA-AC)

1. What kind of security does the UAC solution provide?

- A. endpoint security
- B. perimeter security
- C. network security on a per-device basis
- D. network security on a per-network basis

Answer: C

2. Which deployment option is used to protect data center resources from unauthorized users and noncompliant endpoints?

- A. WAN Gateway

- B. Campus Wired
- C. Server Front End
- D. Distributed Enterprise

Answer: C

3. You have created a Host Enforcer policy and want to verify that it has been applied.  
In which two places would you look to determine if the policy is being enforced? (Choose two.)

- A. client browser
- B. overlay enforcer
- C. Infranet Controller
- D. Odyssey Access Client

Answer: CD

4. Which two deployment options are used to check a user's compliance before allowing access to the local LAN? (Choose two.)

- A. Campus Wired
- B. Server Front End
- C. Campus Wireless
- D. Distributed Enterprise

Answer: AC

5. Which two options must be defined to enable the Infranet Controller to respond to RADIUS requests from an 802.1X-compliant network access device? (Choose two.)

- A. a sign-in policy
- B. a shared secret
- C. the IP address of the network access device
- D. the proper vendor-specific attributes for the network access device

Answer: BC

6. Which three configuration elements are required during the initial configuration of the Infranet Controller? (Choose three.)

- A. gateway
- B. hostname
- C. license agreement
- D. CA-signed certificate
- E. self-signed certificate

Answer: ACE

7. What is the function of the Host Checker?

- A. Runson the Infranet Controller and ensuresreachability to agents.
- B. Communicateswith the overlay enforcer and restrictsaccess to resources.
- C. Communicateswith the Infranet Controller and checksendpoint security compliance.
- D. Runson the endpoint and checksfor healthy communication with theoverlay enforcer and the Infranet Controller.

Answer: C

8. Which statement isaccurate about the integrated Odyssey Access Clientagent?

- A. The agent is installed by the Layer 2 enforcer.
- B. The agent is installed by the overlay enforcer.
- C. The agent isinstalled by the Infranet Controller.
- D. The agent communicates with the overlay enforcer in agentless mode.

Answer: C

9. Which configuration option can be set either in the initial console menu or the Admin UI of the Infranet Controller?

- A. VLAN ID
- B. Hostname
- C. Domain name
- D. Administrative timeout

Answer: C

10. What are three steps in the initial console configuration of the Infranet Controller? (Choose three.)

- A. Install license.
- B. Configure interface.
- C. Complete initial boot.

- D. Create user accounts.
- E. Create self-signed certificate.

Answer: BCE

11. Your company requires that users who authenticate using the Web run an approved Web browser and have current antivirus signatures to present their credentials for authentication. If they do not have current signatures or are running an unauthorized browser, they cannot authenticate.

What do you configure on the Infranet Controller to implement your company's authentication policy?

- A. browser restriction on the user's role and a Host Checker restriction on the user's role
- B. browser restriction on the user's realm and a Host Checker restriction on the user's role
- C. browser restriction on the user's role and a Host Checker restriction on the user's realm
- D. browser restriction on the user's realm and a Host Checker restriction on the user's realm

Answer: D

12. When is it necessary to use the Odyssey Access Client?

- A. to perform overlay enforcement
- B. to enable 802.1X support on the endpoint
- C. to communicate with the Infranet Controller
- D. to build an IPsec tunnel between endpoint and enforcer

Answer: D

13. What are the three main components of Juniper Networks Unified Access Control (UAC) solution? (Choose three.)

- A. Infranet Controller
- B. endpoint agent software
- C. RADIUS accounting server
- D. distributed policy enforcement points
- E. intrusion detection and prevention device

Answer: ABD

14. Which log contains information about service restarts, system errors, warnings, and requests to check server connectivity?

- A. Events log
- B. System log
- C. User Access log
- D. Admin Access log

Answer: A

15. Of the network access issues listed below, which two are addressed by the UAC solution? (Choose two.)

- A. Prevent a host from being infected by a virus.
- B. Allow contractors to gain access to some, but not all, network resources.
- C. Prevent an authorized user from launching a denial of service attack on company resources.
- D. Allow visitors to a branch office to gain Internet access without compromising network security policies.

Answer: BD

16. What are three functions of the Infranet Controller? (Choose three.)

- A. Verifies compliance with policies.
- B. Acts as a 802.1X enforcer if needed.
- C. Assigns roles and resources to users.
- D. Enforces Layer 3 policies dynamically.
- E. Maintains communication with client during session.

Answer: ACE

17. What are two ScreenOS commands you can run on the overlay enforcer to troubleshoot communication with the Infranet Controller? (Choose two.)

- A. get event
- B. get controller status
- C. get auth table infranet
- D. exec infranet controller connect

Answer: AD

18. Which statement is true about the operation of the overlay enforcer?

- A. It assigns users a set of roles.

- B. It enforces resource access policies.
- C. It verifies whether an endpoint meets security requirements.
- D. It configures the UAC agent to allow or deny access to resources.

Answer: B

19. If Host Checker restrictions are applied at the role level and the Allow access to the role if any ONE of the select policies is passed option is selected, which statement is true?

- A. Host Checker must be set to Require and enforce.
- B. The role will not be removed if the Host Checker state changes.
- C. The endpoint will be assigned the role as long as one policy passes.
- D. The endpoint will be assigned the role as long as one rule in the policy passes.

Answer: C

20. What information is required to generate an Infranet Controller license? (Choose two.)

- A. hostname
- B. IP address
- C. hardware ID
- D. authorization code

Answer: CD

More [JN0-141 Braindumps](#) Information

#### Related JN0-141 Exams

JN0-100	JN0-522	JN0-342	JN0-400	JN0-141
jn0-201	jn0-320	JN0-521	JN0-341	jn0-120
JN0-311	jn0-541	jn0-570	jn0-540	JN0-562
JN0-321	jn0-561	jn0-140	jn0-520	JN0-340

#### Other Juniper Networks Exams

JN0-331	jn0-130	JN0-321	JN0-522	JN0-342
jn0-320	JN0-100	jn0-120	jn0-541	JN0-400
jn0-201	jn0-561	jn0-570	JN0-532	jn0-530
JN0-340	JN0-341	JN0-141	JN0-311	jn0-540