



## [Juniper Networks JN0-521](#)

**Exam Name:** FWV.Associate (JNCIA-FWV)

**Q & A :** 116 Q&As

***Pdf Demo***

### **Quality and Value for the JN0-521 Exam**

[Just4Exams Practice Exams](#) for Juniper Networks JNCIA JN0-521 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your JN0-521 Exam**

If you do not pass the JNCIA JN0-521 exam on your first attempt using our Just4Exams ***JN0-521 testing engine and pdf study guide***, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive JN0-521 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [JNCIA certification](#) examination. Details are researched and produced by [Juniper Networks Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

**Free JN0-521 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Juniper JN0-521

Title : Juniper(r) FWV.Associate (JNCIA-FWV)

1. You are configuring an interface in the untrust zone with an IP address, telnet enabled, and WebUI management.

Which sequence of steps must be performed to make the interface operational at the end of the configuration sequence?

A.Assign the interface to a zone, define the IP address, enable Web and telnet services.

B.Assign the interface to a zone, define the IP address, accept default management services.

C.Assign the interface to a virtual router, define the IP address, enable Web and telnet services.

D.Assign the interface to a zone, define the IP address, define a manage IP address, accept default management services.

Answer: A

2. An operational firewall needs a configuration loaded and executed while it is passing user data.

Which CLI command will perform this process without interrupting traffic?

- A.save config from tftp 1.1.7.250 15June06.cfg to flash
- B.save config from tftp 1.1.7.250 15June06.cfg to ram
- C.save config from tftp 1.1.7.250 15June06.cfg merge
- D.save config from tftp 1.1.7.250 15June06.cfg to flash

Answer: C

3. Which command would you run to check IPSec Phase 1 active status?

- A.get sa
- B.get event 427
- C.get sa active
- D.get ike cookie

Answer: D

4. In the packet forwarding decision process, how is the second packet handled differently than the first in a series of allowed interzone packets?

- A.The second packet causes an ARP query.
- B.The second packet is checked against the policy table.
- C.The second packet is forwarded without a sanity check.
- D.The second packet is forwarded without checking the route table.

Answer: D

5. When a firewall receives the first packet in a series, what will it immediately do?

- A.Check its route table.
- B.Check its session table.
- C.Determine if traffic is crossing zones.
- D.Verify that it is not malformed or a fragment.

Answer: D

6. You are looking at the event log of the responding device and it says, "Rejected an initial Phase 1 packet from an unrecognized peer gateway"

What are three likely reasons for the failure? (Choose three.)

- A.The peer ID is misconfigured.
- B.The default gateway is missing.
- C.The preshare keys are mismatched.
- D.The gateway address is misconfigured.
- E.The outgoing interface is misconfigured.

Answer: ADE

7. Click the Exhibit button.

In the exhibit, which interface would be used to forward traffic to host 1.1.7.5?

- A.e0/1
- B.e0/2
- C.e0/3
- D.e0/4

Answer: C

8. What is the purpose of the "Permitted IP" address on a ScreenOS device?

- A.It defines a list of addresses that are trusted to perform management on the ScreenOS device.
- B.It is used in policy rules to determine which user traffic is allowed through the ScreenOS device.
- C.It defines which range of addresses that can access devices connected to the ScreenOS device.
- D.It is the address that an external device uses to gain management access to a ScreenOS device.

Answer: A

9. By default, from which hardware component is the startup copy of the ScreenOS loaded?

- A.NVRAM
- B.TFTP server
- C.internal flash
- D.PCMCIA card

Answer: C

10. What is the purpose of the "Manage-IP" address on a ScreenOS device?

- A.It defines a list of addresses that are trusted to perform management on the ScreenOS device.
- B.It is used in policy rules to determine which device is allowed to manage the ScreenOS device.
- C.It is the address that an external device uses to gain management access to a ScreenOS device.
- D.It defines a list of device addresses that can manage the ScreenOS device without being authenticated prior to session establishment.

Answer: C

11. Telnet management has been enabled on an interface in the untrust zone.

What else should be completed to limit telnet access to the ScreenOS device from trusted management PCs?

- A.Define a permitted IP address.
- B.Define a policy from trust to untrust.
- C.Define a trusted IP in the address table.
- D.Define a manage IP address on this interface.

Answer: A

12. Which statement is correct regarding administrator privileges?

- A.Any administrator can change their privileges on an as-needed basis.
- B.Administrator privileges can only be established and changed by the root administrator.
- C.Administrator privileges can be established and changed by the root and all-privilege administrator.
- D.Administrator privileges can only be established by the root and can be changed by the root and all-privilege administrator.

Answer: B

13. Which ScreenOS WebUI button reorders policies?

- A.Shift
- B.Move
- C.Reorder
- D.Transfer

Answer: B

14. When managing a ScreenOS device using the WebUI and performing an image upgrade, from which hardware component will the ScreenOS image be loaded?

- A.TFTP server
- B.PC local disk
- C.internal flash
- D.Compact Flash Card

Answer: B

15. Click the Exhibit button.

In the exhibit, which two forms of address translation would have generated the output shown? (Choose two.)

- A.MIP
- B.NAT-src with no DIP
- C.Interface-based translation
- D.NAT-src with a DIP, fixed-port disabled

Answer: BC

16. A ScreenOS firewall has the correct interfaces addressed and active. A policy is written allowing interzone FTP traffic from a directly connected client. But the traffic does not cross the firewall from the client to the server.

What is the most likely problem with the firewall?

- A.The ScreenOS firewall has no physical connection to the FTP server.
- B.The ALG option on the ScreenOS firewall has not been enabled for FTP traffic.
- C.The ScreenOS firewall does not have a route defined to the FTP servers' subnet.
- D.The ScreenOS firewall does not have a route defined to the FTP clients subnet.

Answer: C

17. Which type of NAT is performed when you implement interface-based NAT?

- A.source IP address translation
- B.destination IP address translation
- C.source IP and port address translation
- D.destination IP and port address translation

Answer: C

18. Which statement accurately describes the "config rollback" feature?

- A. Once the "config rollback" feature is enabled, it allows the administrator to re-apply a previously saved configuration file from flash.
- B. The "config rollback" feature is enabled by default, it allows the administrator to re-apply a previously saved configuration file from flash.
- C. Once the "config rollback" feature is enabled, it allows the administrator to re-apply a locked configuration file from a separate area in flash.
- D. Once the "config rollback" feature is enabled, it allows the administrator to revert to the prior ScreenOS image or configuration file in the event an upgrade operation aborts.

Answer: C

19. When configuring a firewall in a critical environment where a local backup configuration is quickly needed, what should be completed on a periodic basis?

- A. Execute exec config rollback.
- B. Execute save config to last-known-good.
- C. Execute save regularly or create a script that does this.
- D. Execute save software from flash to pcmcia .

Answer: B

20. What will change the root admin password?

- A. set admin password
- B. set root-admin password
- C. set admin password
- D. set admin user password

Answer: A

More [JN0-521 Braindumps](#) Information

**Related JN0-521 Exams**

JN0-100	JN0-522	JN0-342	JN0-400	JN0-141
jn0-201	jn0-320	JN0-521	JN0-341	jn0-120
JN0-311	jn0-541	jn0-570	jn0-540	JN0-562
JN0-321	jn0-561	jn0-140	jn0-520	JN0-340

**Other Juniper Networks Exams**

jn0-540	JN0-400	JN0-532	jn0-303	JN0-340
jn0-570	JN0-350	jn0-520	JN0-341	JN0-522
jn0-561	JN0-521	jn0-530	JN0-342	jn0-140
JN0-141	jn0-320	JN0-562	JN0-100	jn0-541