



## **IBM LOT-953**

**Exam Name:** IBM Lotus Notes Domino 8.5 Application Development Intermediate Skills

**Q & A :** 171 Q&As

**Pdf Demo**

### **Quality and Value for the LOT-953 Exam**

[Just4Exams Practice Exams](#) for IBM Lotus Certification LOT-953 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your LOT-953 Exam**

If you do not pass the Lotus Certification LOT-953 exam on your first attempt using our Just4Exams **LOT-953 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive LOT-953 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Lotus Certification certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free LOT-953 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : IBM LOT-953

Title : IBM Lotus Notes Domino 8.5 Application Development Intermediate Skills

1. John is working in the Eclipse workspace. Which view will display errors, warnings, and other information about IBM Lotus Domino Designer resources?

- A. Events view
- B. Outline view
- C. Problems view
- D. Properties view

Answer: C

2. Alan is working on the Sales application and needs to display the current value for QuantityAvailable when a user selects the ProductID.

QuantityAvailable is in a different application, the Inventory application. Sales.nsf and Inventory.nsf both are on the SalesApp001 server.

How can Alan retrieve the value of QuantityAvailable for the selected ProductID?

- A. Put this formula behind a ComputedForDisplay field: @DbLookup( "Notes":"NoCache"; "SalesApp001":"inventory.nsf"; "wvProducts"; ProductID; QuantityAvailable )
- B. Include this code in the onChange event for the ProductID field: FIELD dspQuantity := @DbColumn( "Notes":"Cache"; "":"inventory.nsf"; "wvProducts"; ProductID; 3)
- C. Put this formula behind a ComputedForDisplay field: @DbLookup( "Notes":"NoCache"; "SalesApp001!inventory.nsf"; "wvProducts"; ProductID; QuantityAvailable )
- D. Include this code in the onChange event for the ProductID field: FIELD dspQuantity := @DbColumn( "Notes":"Cache"; "SalesApp001!inventory.nsf"; "wvProducts"; ProductID; QuantityAvailable)

Answer: A

3. Anna wants to make sure that each document, after it has been assigned to a specific customer, can be edited only by those selected users and that all replicas of the CRM throughout the complete organization get the documents. What does she need to provide?

- A. Nothing, Notes does this well without any changes.
- B. She needs to provide a field of the type Reader for each person who wants to read this document and set the default ACL to Author.
- C. She needs to provide only an Author field for the users responsible for editing this document and set their ACL rights to Author. she also needs to set the default of the application in the ACL to Reader.
- D. She needs to provide at least two types of fields: one Reader type for each server that needs to be able to see and replicate the document and an Author field for each person who needs to edit the document. She also needs to set the ACL for all users to Author.

Answer: D

4. Araceli is creating a profile document in the SalesOrder database to allow the sales managers to control various application settings. Araceli has created the DB Profile form with the needed fields. How can she create the profile document?

- A. Create a view action button with the formula: @Command([EditProfileDocument]; "DB Profile"). Use a hide formula to expose the button only to the sales managers.
- B. Create a view action button with the formula: @Command([CreateProfileDocument]; "DB Profile"). Use a hide formula to expose the button only to the sales managers.
- C. From the Security tab of the Form properties, select the SalesManagers group under "Who can create documents with this form". A sales manager will then use the Create menu to create the document.
- D. Create a view with a selection formula of: SELECT Form = "DB Profile". From the Security tab of the View properties, select the SalesManagers group under "Who may use this view". Create a view action button with the formula: @Command([CreateProfileDocument]; "DB Profile").

Answer: A

5. Keiko is designing EmpSurvey.nsf, an employee survey application. The application needs to be able to receive emailed documents. Which one of the following does Keiko need to do?

- A. Create a mail-in database document in the Domino directory.
- B. Open the application properties and select "Enable as mail-in application".
- C. Create MailInDb document in DOMCFG.NSF, being sure to set "Mailbox" to "EmpSurvey.nsf".
- D. Create a mapping in the Domino directory to associate EmpSurvey.nsf with a mail server.

Answer: A

6. Andre is using mail encryption on documents that are being routed to other members of his team. Which one of the following keys is used to decrypt the documents?

- A. Andre's private key
- B. Server's private key
- C. Recipient's public key
- D. Recipient's private key

Answer: D

7. Susie wants to modify a field in the current document using a simple action. Which of the following simple actions will accomplish this?

- A. modifyField name="string" value="generic"
- B. deleteDocument name="string" message="string"
- C. createResponse name="string" parentID="string"
- D. openPage name="string" target="string" documentID="string"

Answer: A

8. Paul wants to create a field that allows only entries that are already in the application. What does he need to do to achieve this?

- A. Create a Dialogbox and list all the current entries in the application.

- B. Create a Listbox and populate the content with a @DBLOOKUP using a view with all the choices.
- C. Simply do not select the keyword option "Allow values not in list" while using a Listbox field type.
- D. Create a Listbox and use a @DBCOLUMN for populating the content, using a view with the field categorized

Answer: D

9. Sonia has been asked to rewrite her company's "Careers" Domino Web site using XPages. One of the benefits expected from the new development is better response time for the users. What is one reason why XPages may offer better performance versus earlier Domino Web sites?

- A. XPages are based on JSPs, which are faster than Domino HTML rendering.
- B. XPages are AJAX-enabled, which can offer response time improvements due to partial page refreshes.
- C. XPages avoid formula language, thereby saving the time incurred by the formula parser on the server.
- D. The custom controls that ship with XPages provide optimized widgets that may perform better than those developers could produce on their own.

Answer: B

10. Rudi wants to have a document sent to predefined users after the document is completed. The completion of a document can be done by several people. How would he best do this?

- A. Use the PostSave event to send the document.
- B. Select the "Present mail send dialog" in the Document properties.
- C. Check in the QuerySave event if the document is completed, and then use document.send to send the document.
- D. Display a box to the user stating that they can use the "Mail forward" icon after they are finished with the document, to forward the information to the next user.

Answer: C

11. Yolanda has built the XPages for the sales application. The functionality is working properly, and it is now time to apply the corporate branding. Yolanda has read that XPages can use themes and CSS for affecting the appearance of the UI. What is a distinction between themes and CSS?

- A. Themes are set at the server level to control one, many, or all XML properties of all XPages running on the server. One must use CSS to customize the UI of specific applications.
- B. Themes and CSS each can control all of the same items. The difference is that themes can be used to apply to some or all applications on a server, while CSS is application-specific.
- C. Themes can be used to control any XML properties of any XPages running on the server, including CSS style properties. Themes are different from style sheets in that they are not restricted to CSS styles.
- D. CSS is used to control the presentation of data - such properties as color, font, and positioning. Themes cannot manage the same items as CSS, but themes can be used to control functional properties such as the number of displayed view rows.

Answer: C

12. Sam supports the Sales application Sales.nsf. This application resides on a Domino server, on which DECS is installed. To ensure that Sam's form will connect to inventory data from an external data source, he must do which one of the following?

- A. Define a field on the form to map to the external data
- B. Specify the default metadata object in form properties
- C. Enable the "Allow external data access" database property
- D. Include the reserved DataOptions field on his form, with a value of 1

Answer: A

13. The "Careers" Web site at Regina's company is being rewritten as an XPages application. Regina has been told that one of the benefits of XPages is that development and maintenance can be faster with XPages versus earlier Domino development. What is one example of a development task that may be faster in XPages?

- A. The provided JSP templates offer interfaces that have been optimized for performance.
- B. The provided JSP templates offer interfaces that have been vetted through usability studies.
- C. Development of common features such as user authentication and image resizing can be done via provided "Simple actions".
- D. Development of common features such as confirmation dialogs and the creation / deletion of documents can be done via provided "Simple actions".

Answer: D

14. Derrick has been working with his Domino administration team to reduce the server load caused by view index creation and updates. They told him about the "Deferred index creation" feature, which Derrick could enable. What does this feature refer to?

- A. Categorized columns in views
- B. The entire index of a view
- C. Sortable columns in a view
- D. The full-text index of the database

Answer: C

15. Heike has replaced the old navigator in her application. She has added new navigation using an outline, a page, frames, and a frameset. What does Heike need to do to get the frameset to display when the application is opened?

- A. Set the application launch property for "Open designated Page". Set the Name parameter to the name of the page that contains the frameset.
- B. Select the "Set as default" option for the outline, the page, and the frameset.
- C. Set the application launch property for "Open designated Frameset". Set the Name parameter to the name of the frameset.
- D. Select Other > Application Resources from within Domino Designer. Set the "Open first" parameter to the name of the frameset.

Answer: C

16. Paul is working on an ordering system, and he wants the user to be able to select a delivery address of the customer for whom the user is processing the order. How can Paul achieve this ?

- A. Create a field containing all customer addresses, and let the user select from this list.
- B. Create an embedded view, in which all customers are shown to allow the user to select the address.
- C. Create an action button in which the customer is shown, and a list of addresses is listed, which then opens this address for the user to see. Then use @DBCcolumn to get the field values into the document.
- D. Create an action that uses a @DBlookup to fetch the addresses of this customer and allow the user to choose from that list, then split up the chosen entry into different fields in the form.

Answer: D

17. The XYZ Company has offices in many different countries. There is a single Inventory database, replicated to a server in each country. Users connect to the server associated with the country in which they work. Each product document includes a multivalue field named Country, indicating the country or countries in which the product is available. How can Drew ensure that the server at each country is sent only the data for products available for sale within that country?

- A. From the Security tab of the properties on each countrys replica database, select Restricted replication. Select Restrict by formula. Enter a replication formula of: SELECT @IsMember("COUNTRY\_NAME"; Country).
- B. From the Advanced tab of the replication settings for each countrys replica database, select Documents by selection formula, and enter the formula: SELECT @IsMember("COUNTRY\_NAME"; Country).
- C. Add a computed Authors field to the Product forms in the database. Use a value formula of Country. Run an agent to refresh all documents.
- D. From the Defaults tab of the properties for the Product form, select by formula under Restrict copying. Enter a formula of: SELECT @IsMember(@Location(1); Country).

Answer: B

18. Susan wants to populate a field in the Inventory form so that when a user composes a document they can select from a dialog list of products. Which @function can she use to look up to an Inventory view within the same database?

- A. @DbName
- B. @DbTitle
- C. @DbLookup
- D. @DbColumn

Answer: D

19. Jonathon would like to set the application property Allow document locking for his users. In this case, what is the minimum access that they will need?

- A. Editor
- B. Author
- C. Reader
- D. Depositor

Answer: B

20. Paul wants to read keywords from a definitions database that resides on the same server into a field in which he keeps phrases for different keywords. The choice depends on a previously entered field. Which statements give him the correct options for this?

- A. @DbColumn("Notes":"","":"Definitions.nsf" ; "(Keyword)"; choices ; 2 );
- B. @DbLookup("Notes":"NoCache"; "":"Definitions.nsf" ; "(Keyword)"; choices );
- C. @DbColumn("":"NoCache"; @Subset(@DbName;1):"Definitions.nsf" ; "(Keyword)"; choices ; 2 );
- D. @DbLookup("ODBC":"NoCache";@Subset(@DbName;1):"Definitions.nsf";"(Keyword)";"choices";  
"Choices");

Answer: C

**Related LOT-953 Exams**

LOT-959	LOT-980	LOT-983	LOT-956	LOT-824
LOT-849	LOT-982	LOT-954	LOT-801	LOT-957
LOT-834	LOT-803	LOT-721	LOT-981	LOT-841
LOT-828	LOT-711	LOT-739	LOT-735	LOT-755

**Other IBM Exams**

000-M11	000-543	000-S02	000-717	000-632
000-078	000-M61	000-799	000-357	LOT-804
000-636	000-373	000-020	000-990	000-101
000-M10	000-349	000-887	000-701	LOT-753