



IBM LOT-954

Exam Name: IBM Lotus Notes Domino 8.5 Developing Web Applications

Q & A : 187 Q&As

Pdf Demo

Quality and Value for the LOT-954 Exam

[Just4Exams Practice Exams](#) for IBM Lotus Certification LOT-954 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your LOT-954 Exam

If you do not pass the Lotus Certification LOT-954 exam on your first attempt using our Just4Exams **LOT-954 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive LOT-954 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Lotus Certification certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free LOT-954 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM LOT-954

Title : IBM Lotus Notes Domino 8.5 Developing Web Applications

1. What does @URLEncode do?
 - A. Launches a URL
 - B. Encrypts a URL
 - C. Ensures that a URL is SSL-enabled
 - D. Encodes a string into a URL-safe format

Answer: D

2. Adrian has created his first XPages application. When he moved the application from the development server to the production server, he noticed the xPages are not being rendered. What's the problem?

- A. The production server is not running HTTP.
- B. XPages are encrypted with the server ID.
- C. Adrian needs to edit the XPages to enter the new server name.
- D. Adrian needs to make sure that the XPages have been signed with an ID that has authorization to run XPages.

Answer: D

3. Emil has a data table in his XPage. He has identified the data table's data source as a particular Domino View Data Source. He has also inserted the columns he needs. How can he assign each column to a matching column from the Domino View?

- A. Drag a View control onto the data table and define its columns.
- B. Select the data table and define its data binding to include all of the View's columns, in the appropriate order.
- C. Right-click each column, select "Data Binding" from the context menu, and identify the appropriate column in the Domino View.
- D. Drag the appropriate controls from the Controls View onto the columns in the data table and define their data bindings to the individual columns in the Domino View.

Answer: D

4. From the menu bar of Lotus Domino Designer, Pieter clicked Create > Design > Custom Control. He created an element that he named PageBanner. How can Pieter now add PageBanner to his XPage?

- A. From the Controls view, expand Custom Controls if it is collapsed. Drag PageBanner onto the desired location on the XPage canvas.
- B. From the applications navigator, expand the Custom Controls section if it is collapsed. Drag PageBanner to the desired location on the XPage canvas.
- C. Position the cursor at the desired location on the XPage canvas. Right-click and select Insert > Shared Element > Control > Custom Control > Page Banner.
- D. Position the cursor at the desired location on the XPage canvas. Select Create > Resource > Insert Resource. Select "Custom Controls" for the Resource type and select PageBanner.

Answer: A

5. Farah has added the main.css stylesheet to her XPage. She wants to associate the helpText class from main.css with the lblHelp Label control on the page. How can Farah do this task?

- A. Select the Source tab from the Xpage canvas and enter this line: `<xp:lblHelp class="helpText"></xp:lblHelp>`
- B. Right-click lblHelp from the XPage. On the HTML tab of the Properties window, enter helpText for the Class option.
- C. Select the lblHelp control on the Xpage. From the Style tab of the Properties window, enter helpText for the Class option.
- D. Select the Source tab from the Xpage canvas. Locate the `<xp:styleSheet href="/main.css">` line. Below this line, add: `<xp:lblHelp styleClass="helpText"></xp:lblHelp>`

Answer: C

6. Maggie wants to display the authenticated user's name on her Web site's welcome page. How can she do this task?

- A. Use the JavaScript document.userName property.
- B. Display the name using the USER_NAME CGI field.
- C. Write a JavaScript function that gets the name from the session cookie.
- D. Create computed text on the page that computes the current user's name.

Answer: D

7. Mary has created her first xPages application for Web users that shows customers' phone numbers. She now needs the application to be available for the lotus Notes client. Does she need to rewrite the application?

- A. Yes, xPages cannot be used in a Lotus Notes client.
- B. No, xPages are supported in the Lotus Notes client.
- C. Yes, the same application cannot be used via Web and Lotus Notes client at the same time.
- D. No, but she needs to create xPages to be used specifically by the Lotus Notes client.

Answer: B

8. When the Print statement is used in a Web agent, such as WebQuerySave, what does the Print statement do?

- A. Nothing. The Print statement is ignored in Web agents.
- B. Output from all Print statements is sent to the server log.
- C. Output from all Print statements is sent to the browser for display.
- D. Output from all Print statements is sent to the browser's status bar.

Answer: C

9. Steven uses profile documents to give people the ability to personalize the look and feel of his application on the Web. How can he read an individual background color value from users' profile documents using JavaScript?

- A.

```
var profDoc:NotesDocument = database.getProfile("UserProfile",username);
return profDoc.getItem("BackgroundColor")[0];
```

B. `var profDoc:NotesDocument = database.getProfileDocument("UserProfile",username);`
`return profDoc.getItem("BackgroundColor")[0];`
C. `var profDoc:NotesDocument = database.getProfile("UserProfile",username);`
`return profDoc.getItemValue("BackgroundColor")[0];`
D. `var profDoc:NotesDocument = database.getProfileDocument("UserProfile",username);`
`return profDoc.getItemValue("BackgroundColor")[0];`

Answer: D

10. Using a web browser, Marc is accessing Lotus Domino sites, but does not log in. Which ACL setting would allow him to access the databases?

- A. The `$$WebUser` role is set to Reader.
- B. The `$$WebUser` user is set to Reader.
- C. The Anonymous role is set to Reader.
- D. The Anonymous user is set to Reader.

Answer: D

11. Luis needs to create a Web application but he needs to show two views, two pages, and one outline all at the same time at some points. How can he accomplish this requirement?

- A. Using framesets
- B. With HTML by using multiple `div` tags
- C. With HTML by using multiple `iFrame` tags
- D. With a combination of JavaScript and DHTML

Answer: A

12. A WSDL file is used by a Web service consumer to do what?

- A. Determine the type of authentication used to access a Web service
- B. Determine the methods available and endpoints used by a Web service provider
- C. Locate one or more Web service providers that can provide a certain type of data
- D. Transform an outgoing SOAP message into the proper format for the Web service provider using XSLT

Answer: B

13. Benjamin is planning to deploy his new application to both Web users and Lotus Notes client users. He knows that XPages can be used for it. What needs to be considered for this scenario?

- A. Nothing, in both clients XPages are working as is.
- B. He needs to design the XPages in pairs, one set for Lotus Notes clients and one set for the Web.
- C. This task is not possible. XPages are not working the same in Lotus Notes clients and the Web browser.
- D. He can design his application using only one set of XPages, but he has to adapt most of the pages to the client in use by using conditional constructs.

Answer: A

14. Nancy is creating a Web application and she needs anonymous users to be able to read content and create certain documents. What does Nancy need to do?

- A. Anonymous users cannot create documents if the ACL is set to Reader.
- B. Anonymous must be set to Author in the ACL and forms must be blocked to Anonymous users.
- C. Nancy needs to create an Anonymous entry to the ACL with access set to Author. Then, using `@Formula` she needs to validate if a document is being created by an Anonymous user.
- D. Nancy needs to create an Anonymous entry to the ACL with access set to Reader and the option "Write public documents." She also needs to make the forms Available to Public Access users.

Answer: D

15. Kimberly has added a submit button to her XPage. Before the document is saved, she wants to make sure that the user actually wants to save the document. What should she do to accomplish this task?

- A. Add a Save Document core control to the form.
- B. Add a Confirm Action core control to the form.
- C. Add a Confirm Action simple action on the button onclick event.
- D. Add a Save Document simple action to the button onclick event.

Answer: C

16. Qiang needs to add a button to the Contact XPage. When clicked, this button should delete the currently open document from the application. What is one way that Qiang can add this button?

- A. Drag the Data control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the

Operations tab, select Current document and Delete.

B. Drag the Data control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. In the Options area of the properties, select Delete for the Action, and select Domino Document for the Target.

C. Drag a Button control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the events panel, select the Mouse onclick event, and add a server-side simple action. Select Delete for the action.

D. Drag a Button control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the events panel, select the Mouse onclick event, and add a client-side simple action. Select Delete for the action.

Answer: C

17. Cade is building an XPage for the Sales application. What are the options from which he can select when defining a data source from the data palette?

A. @DbLookup and @DbColumn

B. Domino view and Domino document

C. Data connections and DB2?access views

D. Data connections, DB2 access views, and file resources

Answer: B

18. Marge wants to track user preference information while users navigate through her Web site, but does not want to require users to authenticate when accessing the site. Which of the following should she use to track the user information?

A. Cookies

B. Servlets

C. User profile documents

D. The users must authenticate

Answer: A

19. Juanes needs to import some data from a custom application not using a standard database engine, which is being migrated to a Lotus Notes/Domino application. How can he accomplish this task?

A. Use Lotus Enterprise Integrator.

B. Import data using one of the built-in connection services like DECS or connectors.

C. Export the data to XML on the old application and import it using XMLT.

D. Export the data from the old application to one or more ASCII files and import them by using LotusScript file access methods.

Answer: D

20. Which one of the following @formulas can be used to read data from a non-Lotus Domino server in a Web application?

A. @DbCommand and @DBCcolumn

B. @ServerAccess and @UserAccess

C. @ConnectToServer and @Retrieve

D. This task cannot be performed with an @formula.

Answer: A

More [LOT-954 Braindumps](#) Information

Related LOT-954 Exams

LOT-959	LOT-980	LOT-983	LOT-956	LOT-824
LOT-849	LOT-982	LOT-954	LOT-801	LOT-957
LOT-834	LOT-803	LOT-721	LOT-981	LOT-841
LOT-828	LOT-711	LOT-739	LOT-735	LOT-755

Other IBM Exams

LOT-735	000-234	000-373	LOT-834	000-734
000-M18	000-235	000-991	000-872	FPM-200
000-743	000-M26	000-435	000-446	000-439
LOT-957	000-873	000-389	000-139	000-908