



[Network Appliance NS0-131](#)

Exam Name: Network Appliance Data Protection Exam 7G

Q & A : 117 Q&As

[Pdf Demo](#)

Quality and Value for the NS0-131 Exam

[Just4Exams Practice Exams](#) for Network Appliance NACP NS0-131 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your NS0-131 Exam

If you do not pass the NACP NS0-131 exam on your first attempt using our Just4Exams **NS0-131 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive NS0-131 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [NACP certification](#) examination. Details are researched and produced by [Network Appliance Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free NS0-131 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Network Appliance NS0-131

Title : Network Appliance Data Protection Exam 7G

1. Choose one of the following keywords which alone can be used to convert an asynchronous mirror to be synchronous.

- A. srccon
- B. outstanding
- C. cksum
- D. sync

Answer: D

2. Up to snapshots concurrently can a volume contain.

- A. 125

- B. 225
- C. Depends on capacity and number of disk drives
- D. 255

Answer: D

3. Choose one of the following which you would use to change the NDMP password on the Open System SnapVault agent.

- A. `svpassword <newpassword>`
- B. `password <newpassword>`
- C. `svpasswd`
- D. `password`

Answer: A

4. Choose one of the following commands which allows you to check the size of the source and destination volumes, when you create a restricted volume to be used as the destination for SnapMirror data replication.

- A. `df`
- B. `vol mirror -v`
- C. `vol status`
- D. `sysconfig -v`

Answer: C

5. Where the qtrees are located, the SnapVault secondary system makes a snapshot of its own volume. Choose whether this statement is true or false.

- A. True
- B. False

Answer: A

6. Choose the correct answer for the following statement by filling in the blank space:

You must specify a authorized through that application, to manage a SnapVault backup through a commercial NDMP application.

- A. directory path
- B. user and password
- C. volume and qtree
- D. SnapVault license

Answer: B

7. Choose two of the following NetApp storage appliances which do not support the use of synchronous SnapMirror.

- A. FAS960
- B. F87
- C. F820
- D. F825

Answer: B,C

8. Newer snapshots after the baseline will be deleted at the destination. This is one of the results of the `snapmirror resync` command.

Older snapshots before the baseline will be deleted at the source. Is this true or false?

- A. False
- B. True

Answer: B

9. Choose from the following statements which one is not true when scheduling DFM backups.

- A. The schedule dictates when transfers occur.
- B. DFM is a single point of failure.
- C. The schedule dictates which snapshot to back up.
- D. Retention policy dictates how long to keep each snapshot.

Answer: C

10. Choose one of the following steps which is not required for DFM setup on the storage appliance.

- A. Grant NDMP access with the options `ndmpd.access <dfm-host>` command.
- B. Enable SnapVault with the options `snapvault.enable` on command.
- C. Enable NDMP with the options `ndmpd.enable` on command.
- D. Enable DFM with the license add `<dfm-code>` command.

Answer: D

11. In order to add primary directory relationship with the "Add Backup" option on the DFM GUI, you are unable to do this. Choose three of the following conditions which might be the cause of this failure.

- A. Secondary volume is out of space.
- B. Path name contains /vol prefix.
- C. Secondary volume is out of inodes.
- D. Secondary path is a qtree.

Answer: A,B,C

12. To assist in starting or stopping SnapVault, choose which tool is available on a non-NetApp primary system, modifying NDMP settings, enabling debugging, and capturing trace files.

- A. None of the above
- B. Data Fabric Manager
- C. svdebug.exe
- D. Svconfigurator GUI

Answer: D

13. You must execute from the primary to secondary storage system, for each Open Systems platform directory to be backed up to the SnapVault secondary storage system.

- A. a scheduled update copy
- B. an initial baseline copy
- C. a temporary copy
- D. an incremental copy

Answer: B

14. Choose one of the following which is not a replication pre-requisite, when you are setting up SnapMirror?

- A. If you are replicating a volume, you must create a restricted volume to be used as the SnapMirror destination volume.
- B. SnapMirror must be licensed for each storage appliance.
- C. The source volume must be offline.
- D. The capacity of the SnapMirror destination must be greater than or equal to the capacity of the source.

Answer: C

15. Choose one of the following statements that does not apply to SnapLock Compliance volumes.

- A. The volume supports the "ntrusted administrator" mode of operation.
- B. Administrative interfaces are restricted to protect WORM data.
- C. The volume has the capacity to download indexes and records.
- D. The volume type is set when the volume is created.

Answer: B

16. Choose from the following which entry in the /etc/snapmirror.conf file would allow you to replicate /vol/flexvol0 on netapp1 (source) to /vol/flexvol2 on netapp2 (destination).

- A. netapp1: flexvol0 netapp1: flexvol2 - * * * *
- B. netapp2: flexvol2 netapp2: flexvol0 - * * * *
- C. netapp1: flexvol0 netapp2: flexvol2 - * * * *
- D. netapp2: flexvol0 netapp1: flexvol0 - * * * *

Answer: C

17. After you use SnapRestore to revert a volume to a specific snapshot_____. Choose the correct answer below.

- A. you must bring the volume back online.
- B. snapshots that are older than the snapshot you used to revert are deleted.
- C. snapshots that are more recent than the snapshot you used to revert are deleted.
- D. the storage appliance automatically performs a snapshot for that volume.

Answer: C

18. Choose which one of the following is not recommended as a secondary system for SnapVault.

- A. F880
- B. NearStore R200
- C. F700 series
- D. FAS900 series

Answer: C

19. Choose from the following the user-controllable security mechanism which is built into OSSV.

- A. QSM access list modifiable via svconfigurator
- B. MD5 based authentication between SnapVault primary and secondary, with changeable password
- C. Contents inside a file called access and located in OSSV <installdir>/snapvault/etc
- D. Via /etc/hosts.equiv file

Answer: A

20. Choose one of the following settings which can improve the performance of synchronous SnapMirror.

- A. snap reserve
- B. cksum
- C. visibilityinterval
- D. outstanding

Answer: D

More [NS0-131 Braindumps](#) Information

Related NS0-131 Exams

NS0-153	NS0-163	NS0-131	NS0-121	NS0-141
NS0-130	NS0-151	NS0-120		

Other Network Appliance Exams

NS0-501	NS0-170	NS0-910	NS0-201	NS0-920
NS0-101	NS0-121	NS0-330	NS0-530	NS0-210
NS0-102	NS0-153	NS0-131	NS0-141	NS0-151
NS0-320	NS0-310	NS0-510	NS0-301	NS0-111