



## Extreme Networks ew0-200

**Exam Name:** extreme networks associate(ena)

**Q & A :** 240 Q&As

**Pdf Demo**

### **Quality and Value for the ew0-200 Exam**

[Just4Exams Practice Exams](#) for Extreme Networks Extreme Networks Certifications ew0-200 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your ew0-200 Exam**

If you do not pass the Extreme Networks Certifications ew0-200 exam on your first attempt using our Just4Exams **ew0-200 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive ew0-200 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Extreme Networks Certifications certification](#) examination. Details are researched and produced by [Extreme Networks Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free ew0-200 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Extreme Networks EW0-200

Title : Extreme Networks Associate(ena)

1. In an Extreme Switch, the routing function is disabled on all VLANs by default.

- A. TRUE
- B. FALSE

Answer: A

2. This type of OSPF router has its router interfaces connected into multiple OSPF areas.

- A. ASBR.
- B. ABR.

- C. DR.
  - D. BDR.
- Answer: B

3. Exhibit:

You have been assigned the task of configuring an 8-port load share group between two switches that use the address-based algorithm. Which of the following commands will provide you with the desired result?

- A. Summit #1: enable sharing 1 grouping 1-8 algorithm address-based  
Summit #2: enable sharing 8 grouping 1-8 algorithm address-based
- B. Summit #1: enable sharing 1 grouping 1-8 algorithm address-based  
Summit #2: enable sharing 1 grouping 1-8 algorithm address-based
- C. Summit #1: enable sharing 1 grouping 1-8 address-based algorithm  
Summit #2: enable sharing 1 grouping 1-8 address-based algorithm
- D. None of the above.

Answer: B

4. What information is not provided by the CLI command: show version?

- A. The ExtremeWare software image version and the build date and time
- B. The MAC address of the switch
- C. The Switch Serial Number
- D. The BootROM version

Answer: B

5. Given the following diagram (sorry missing) , how would you disable ports 3 through 8 on module 1 and all ports on modules 3 and 4?

- A. disable ports slot 1 ports 3-8, slot 3 ports 1-8, slot 4, ports 1-8
- B. unconfig ports 1:3-1:8, 3:1-4:8
- C. config vlan <name> delete ports 1:3-1:8, 3:1-4:8
- D. disable ports 1:3-1:8, 3:1-4:8

Answer: D

6. In spanning tree, the designated bridge is the bridge with the:

- A. least-cost path to the root bridge
- B. highest bridge priority
- C. lowest port cost on all ports
- D. None of these

Answer: A

7. Which statement is true? In a PC, the configured default gateway:

- A. Is always within the PC IP (sub) network.
- B. Is always outside the PC IP (sub) network.
- C. Is always behind a router.
- D. Can be anywhere.

Answer: A

8. Which of the following protocol filter/s is/are predefined in ExtremeWare?

- A. OSPF
- B. TCP
- C. NETBIOS
- D. All of these

Answer: C

9. What CLI command is used to disable learning of incoming RIP routes on an interface?

- A. disable rip learning <VLAN>
- B. configure rip rxmode none <VLAN>
- C. configure rip interface <VLAN> passive
- D. None of these

Answer: B

10. A 802.1Q tag is a marker inserted between the source and destination MAC addresses fields of the Ethernet frame.

- A. TRUE
  - B. FALSE
- Answer: B

11. Which of the following CLI commands would you use to enable ECMP for RIP?

- A. enable rip route sharing
  - B. enable route sharing rip
  - C. enable iproute sharing
  - D. None of these, ecmp is not supported by RIP
- Answer: D

12. In a Summit 5i switch, a MAC address must be configured for each physical port before routing can be configured.

- A. TRUE
  - B. FALSE
- Answer: B

13. If you wish to silently drop all traffic destined for IP network 100.219.10.0/24 with a gateway of 10.219.10.1/24 and without receiving any ICMP messages that would otherwise be generated, which CLI command would you execute?

- A. configure iproute delete 100.219.10.0/24 gateway 10.219.10.1
  - B. configure iproute default 100.219.10.0/24
  - C. configure iproute add blackhole 100.219.10.0/24 gateway 10.219.10.1
  - D. configure iproute add blackhole 100.219.10.0/24
- Answer: D

14. Which CLI command would you use to configure the switch to ignore STP for selected VLANs?

- A. enable ignore-stp vlan <stpd>
  - B. enable ignore-bpdu stpd <stpd> vlan <vlan>
  - C. enable ignore-bpdu stpd <stpd>
  - D. enable ignore-stp vlan <vlan>
- Answer: D

15. The acronym TCP/IP stands for:

- A. Transport Control Protocol/Internal Protocol
  - B. Transmission Control Protocol/ International Protocol
  - C. Transfer Control Policy/Interactive Protocol
  - D. None of these
- Answer: D

16. When a port is added to a tagged VLAN, jumbo frame support must be enabled to compensate for the increased frame size.

- A. TRUE
  - B. FALSE
- Answer: B

17. In an Ethernet LAN, Layer 2 broadcasts reach every device within the same broadcast domain and may cause bandwidth, congestion and delay issues.

- A. TRUE
  - B. FALSE
- Answer: A

18. The modular BlackDiamond 6804 switch supports the following legacy WAN modules?

(Choose all three that apply)

- A. 2-port SONET/SDH OC-12c/STM-4 PoS
- B. 4-port SONET/SDH OC-3c/STM-1 PoS
- C. 4-port SONET/SDH OC-3/STM-1 ATM
- D. 16-port SONET/SDH T3/E3 PoS/ATM

Answer: A,B,C

19. In ExtremeWare, active VLANs that are configured with ports and an IP address and configured to forward IP and run a routing protocol will have their subnet advertised.

- A. TRUE

B. FALSE

Answer: A

20. In order to set the OSPF router ID to 19168.0.1 in area 7.7.7.7 which of the following CLI commands should be used?

A. config routerid ospf 192.168.0.1 area 7.7.7.7

B. config ospf routerid 192.168.0.1

C. config ospf 192.168.0.1 routerid area 7.7.7.7

D. config 192.168.0.1 ospf routerid

Answer: B

More [ew0-200 Braindumps](#) information

#### **Related ew0-200 Exams**

ew0-300   ew0-200

#### **Other Extreme Networks Exams**

ew0-200   ew0-300