



## [Juniper Networks jn0-330](#)

**Exam Name:** JN0-330-Enhanced Services, Specialist(JNCIS-ES)

**Q & A :** 154 Q&As

**[Pdf Demo](#)**

### **Quality and Value for the jn0-330 Exam**

[Just4Exams Practice Exams](#) for Juniper Networks JNCIS jn0-330 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your jn0-330 Exam**

If you do not pass the JNCIS jn0-330 exam on your first attempt using our Just4Exams *jn0-330 testing engine and pdf study guide*, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive jn0-330 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [JNCIS certification](#) examination. Details are researched and produced by [Juniper Networks Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free jn0-330 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Juniper Networks JN0-330

Title : Enhanced Services, Specialist (JNCIS-ES)

1. Host A opens a Telnet connection to Host B. Host A then opens another Telnet connection to Host B. These connections are the only communication between Host A and Host B. The security policy configuration permits both connections.

How many flows exist between Host A and Host B?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

2. You want to enable SSH and Telnet access to the router's CLI.  
Under which configuration hierarchy would you enable these protocols?

- A. [edit system cli]
- B. [edit security cli]
- C. [edit system services]
- D. [edit security services]

Answer: C

3. Which two statements regarding asymmetric key encryption are true? (Choose two.)

- A. The same key is used for encryption and decryption.
- B. It is commonly used to create digital certificate signatures.
- C. It uses two keys: one for encryption and a different key for decryption.
- D. An attacker can decrypt data if the attacker captures the key used for encryption.

Answer: BC

4. Which three functions are provided by JUNOS software with enhanced services? (Choose three.)

- A. VPN establishment
- B. stateful ARP lookups
- C. transparent mode operation
- D. network address translation
- E. inspection of packets at higher levels (Layer 4 and above)

Answer: ADE

5. Click the Exhibit button.

In the exhibit, which packet type would match the session in the table entry?

```
user@host> show security flow session
```

```
Session ID: 1495, Policy name: default-permit/7, Timeout: 1778
```

```
In: 172.19.51.162/52071 --> 10.1.10.10/23;tcp, lf: ge-0/0/0.0
```

```
Out: 10.1.10.10/23 --> 172.19.51.162/52071;tcp, lf: ge-0/0/3.0
```

- A. ESP packet from 172.19.51.162 to 10.1.10.10
- B. ICMP packet from 172.19.51.162 to 10.1.10.10
- C. HTTP packet from 172.19.51.162 to 10.1.10.10
- D. Telnet packet from 172.19.51.162 to 10.1.10.10

Answer: D

6. Which three methods of source NAT does the JUNOS software with enhanced services support? (Choose three.)

- A. interface-based source NAT
- B. source NAT with overflow pool
- C. source NAT using static source pool
- D. interface-based source NAT without PAT
- E. source NAT with static source pool and PAT

Answer: ABC

7. By default, which condition would cause a session to be removed from the session table?

- A. Route entry for the session changed.
- B. Security policy for the session changed.
- C. The ARP table entry for the source IP timed out.
- D. No traffic matched the session during the application timeout period.

Answer: D

8. Click the Exhibit button.

In the exhibit, which two CLI commands allow you to monitor DHCP address conflicts? (Choose two.)

```
[edit system services dhcp]
```

```
user@router# show
```

```
traceoptions {
```

```
level all;
```

```
flag conflict;
```

```
}
```

```
pool 10.210.11.176/28 {
```

```
address-range low 10.210.11.186 high 10.210.11.189;
```

```
router {
```

10.210.11.190;

}

}

A. show log dhcpd

B. show log conflicts

C. show system services dhcp conflict

D. show system services dhcp binding

Answer: AC

9. You must configure a policy-based VPN.

Which command causes traffic to be sent through an IPSec VPN named remote-vpn?

[edit security policies from-zone trust to-zone untrust]

user@host# show

policy tunnel-traffic {

match {

source-address local-net;

destination-address remote-net;

application any;

then {

permit;

}

}

A. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then tunnel remote-vpn

B. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then tunnel ipsec-vpn remote-vpn

C. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then permit ipsec-vpn remote-vpn

D. [edit security policies from-zone trust to-zone untrust]

Answer: D

10. You are configuring a DHCP pool at the [edit system services DHCP pool 10.3.3.0/24] hierarchy.

Which configuration statement will cause the DHCP server to tell the clients to use 10.3.3.1 as their default gateway?

A. router {

10.3.3.1;

}

B. gateway {

10.3.3.1;

}

C. next-router {

10.3.3.1;

}

D. default-gateway {

10.3.3.1;

}

Answer: A

11. In JUNOS software with enhanced services, which three packet elements are inspected to determine if a session already exists?

(Choose three.)

A. IP protocol

B. IP time-to-live

C. source and destination IP address

D. source and destination MAC address

E. source and destination TCP/UDP port

Answer: ACE

12. Which two are components of the enhanced services software architecture? (Choose two.)

A. Linux kernel

B. routing protocol daemon

C. session-based forwarding module

D. separate routing and security planes

Answer: BC

13. Which two statements describe the difference between JUNOS software with enhanced services and a traditional router? (Choose two.)

- A. JUNOS software with enhanced services supports NAT and PAT; a traditional router does not support NAT or PAT.
- B. JUNOS software with enhanced services does not forward traffic by default; a traditional router forwards traffic by default.
- C. JUNOS software with enhanced services uses session-based forwarding; a traditional router uses packet-based forwarding.
- D. JUNOS software with enhanced services performs route lookup for every packet; a traditional router performs route lookup only for the first packet.

Answer: BC

14. Which two statements about the JUNOS software with enhanced services packet handling are correct? (Choose two.)

- A. JUNOS software with enhanced services applies service ALGs only for the first packet of a flow.
- B. JUNOS software with enhanced services uses fast-path processing for the first packet of a flow only.
- C. JUNOS software with enhanced services performs route and policy lookup only for the first packet of a flow.
- D. JUNOS software with enhanced services applies SCREEN options for both first and consecutive packets of a flow.

Answer: CD

15. What are the common elements that JUNOS software with enhanced services uses for a flow's first and subsequent packets?

- A. zones, policy, service ALGs, and NAT
- B. route, policy, NAT, and SCREEN options
- C. NAT, SCREEN options, and service ALGs
- D. fast-path processing, route, NAT, and service ALGs

Answer: C

16. Click the Exhibit button.

In the exhibit, what is the priority for Router B in VRRP group 100?

Router A:

[edit]

```
user@RouterA# show interfaces ge-0/0/1
```

```
unit 0 {
  family inet {
    address 192.168.1.253/24 {
      vrrp-group 100 {
        virtual-address 192.168.1.1;
        priority 110;
        no-preempt;
      }
    }
  }
}
```

Router B:

[edit]

```
user@RouterB# show interfaces ge-0/0/1
```

```
unit 0 {
  family inet {
    address 192.168.1.254/24 {
      vrrp-group 100 {
        virtual-address 192.168.1.1;
        no-preempt;
      }
    }
  }
}
```

- A. 1
- B. 100
- C. 110
- D. 255

Answer: B

17. Which configuration will allow users to authenticate using a local account only when the RADIUS server is unreachable?

- A. [edit security]

user@host# show auth-order  
auth-order radius;  
B. [edit security]

user@host# show auth-order  
auth-order [ radius password ];

C. [edit system]

user@host# show authentication-order  
authentication-order radius;

D. [edit system]

Answer: C

18. Which two functions of JUNOS software with enhanced services are handled by the real-time domain? (Choose two.)

A. NAT

B. OSPF

C. SNMP

D. SCREEN options

Answer: AD

19. Which command determines if snmpd is running?

A. user@host> show system cpu | match snmpd

B. user@host> show system log | match snmpd

C. user@host> show system snmp | match snmpd

D. user@host> show system processes | match snmpd

Answer: D

20. Which type of zone is used by traffic transiting the device?

A. transit zone

B. default zone

C. security zone

D. functional zone

Answer: C

21. Which two policy actions are valid? (Choose two.)

A. NAT

B. ALG application

C. IP options setting

D. firewall authentication

Answer: AD

22. A traditional router is better suited than a firewall device for which function?

A. VPN establishment

B. packet-based forwarding

C. stateful packet processing

D. network address translation

Answer: B

23. Which two statements describe the difference between JUNOS software with enhanced services and a traditional router? (Choose two.)

A. JUNOS software with enhanced services supports NAT and PAT; a traditional router does not support NAT or PAT.

B. JUNOS software with enhanced services secures traffic by default; a traditional router does not secure traffic by default.

C. JUNOS software with enhanced services uses session-based forwarding; a traditional router uses packet-based forwarding.

D. JUNOS software with enhanced services separates broadcast domains; a traditional router does not separate broadcast domains.

Answer: BC

24. Which three methods are supported for authenticating user access to the command line interface (CLI)? (Choose three.)

A. LDAP

B. RADIUS

C. TACACS+

D. local database

E. Active Directory

Answer: BCD

25. Host A opens a Telnet connection to Host B. Host A then opens another Telnet connection to Host B. These connections are the only communication between Host A and Host B. The security policy configuration permits both connections.

How many sessions exist between Host A and Host B?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

26. Click the Exhibit button.

The router creates a log message with the daemon facility and info level.

Given the configuration in the exhibit, which three statements are true? (Choose three.)

```
[edit system syslog]
```

```
lab@Denver# show
```

```
user * {
```

```
any emergency;
```

```
}
```

```
host 192.168.1.1 {
```

```
any any;
```

```
explicit-priority;
```

```
}
```

```
file messages {
```

```
any any;
```

```
authorization info;
```

```
daemon emergency;
```

```
}
```

```
file special {
```

```
daemon any;
```

```
interactive-commands any;
```

```
explicit-priority;
```

```
}
```

- A. The severity level will appear in the log message.
- B. The message will be stored in the local file special.
- C. The message will be stored in the local file messages.
- D. The message will be sent to the syslog server at 192.168.1.1.
- E. The message will be displayed on the CLI sessions of all users that are logged in.

Answer: ABD

27. What is the default session timeout for UDP sessions?

- A. 30 seconds
- B. 1 minute
- C. 5 minutes
- D. 30 minutes

Answer: B

28. Which two statements about the use of SCREEN options are correct? (Choose two.)

- A. SCREEN options offer protection against various attacks.
- B. SCREEN options are deployed prior to route and policy processing.
- C. SCREEN options are deployed at the ingress and egress sides of a packet flow.
- D. When you deploy SCREEN options, you must take special care to protect OSPF.

Answer: AB

29. Which two system services are enabled in the JUNOS software with enhanced services factory-default configuration file? (Choose two.)

- A. SSH
- B. Telnet
- C. HTTP
- D. HTTPS

Answer: AC

30. Click the Exhibit button.

In the exhibit, what is the purpose of this OSPF configuration?

```
[edit protocols ospf]
user@host# show traceoptions
file debugOSPF;
flag hello send;
flag lsa-update;
```

- A. The router sends the file debugOSPF (containing hellos sent and LSA updates) to the syslog server.
- B. The router traces both OSPF hellos sent and LSA updates, and stores the results in the debugOSPF file.
- C. The router traces both OSPF hellos sent and LSA updates, and sends the results to the syslog process with the debugOSPF facility.
- D. The router traces all OSPF operations, stores the results in the debugOSPF file, and marks both hellos sent and LSA updates in the file with a special flag.

Answer: B

More [jn0-330 Braindumps](#) Information

#### **Related jn0-330 Exams**

JN0-331	jn0-531	JN0-350	jn0-330	JN0-532
jn0-303	jn0-130	jn0-530		

#### **Other Juniper Networks Exams**

jn0-310	jn0-531	JN0-522	JN0-100	jn0-120
jn0-140	jn0-540	JN0-400	JN0-532	jn0-330
jn0-320	JN0-141	JN0-562	JN0-340	jn0-201
jn0-520	JN0-350	JN0-342	jn0-130	JN0-311