



## [Juniper Networks jn0-531](#)

**Exam Name:** FWV, Specailist(JNCIS-FWV)

**Q & A :** 151 Q&As

***Pdf Demo***

### **Quality and Value for the jn0-531 Exam**

[Just4Exams Practice Exams](#) for Juniper Networks JNCIS jn0-531 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your jn0-531 Exam**

If you do not pass the JNCIS jn0-531 exam on your first attempt using our Just4Exams *jn0-531 testing engine and pdf study guide*, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive jn0-531 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [JNCIS certification](#) examination. Details are researched and produced by [Juniper Networks Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free jn0-531 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Juniper JN0-531

Title : Juniper FWV, Specailist(JNCIS-FWV)

1. Which CLI command identifies the multicast sources visible to your ScreenOS device?

- A. get route pim
- B. get igmp source all
- C. exec pim interface all query
- D. get vrouter trust-vr protocol pim

Answer: D

2. What must be configured differently for a route-based VPN and a policy-based VPN?

- A. proxy-id

- B. proposals
- C. remote gateway type
- D. binding the tunnel interface

Answer: D

3. Which commands would you use to create a zone and make it ready to perform IP classification for a VSYS?

- A. set zone name Zone1  
set zone Zone1 ip-classification
- B. set zone name Zone1 shared  
set zone Zone1 ip-classification
- C. set zone name Zone1  
set zone Zone1 shared  
set zone Zone1 ip-classification
- D. set zone name Zone1  
set zone Zone1 shared  
set zone Zone1 ip-classification enable

Answer: C

4. What must be enabled to protect Phase 2 key exchanges?

- A. Phase 1 PFS
- B. Phase 2 SHA
- C. Phase 2 3-DES
- D. Phase 2 DH key exchange

Answer: D

5. To which three ScreenOS components can a policy-based routing policy be bound? (Choose three.)

- A. zone
- B. policy
- C. interface
- D. virtual router
- E. virtual system

Answer: ACD

6. Which ScreenOS CLI command is necessary for configuring IGMP on interface ethernet0/1?

- A. set igmp interface ethernet0/1
- B. set multicast interface ethernet0/1
- C. set interface ethernet0/1 igmp router
- D. set igmp interface ethernet0/1 enable

Answer: C

7. Which two item pairs are exchanged during Phase 2 negotiations? (Choose two.)

- A. proxy-id, SA proposal list
- B. IKE cookie, SA proposal list
- C. hash [ID + Key], DH key exchange
- D. SA proposal list, optional DH key exchange

Answer: AD

8. Click the Exhibit button.

In the exhibit, what is the source IP address of the multicast traffic?

- A. 236.1.1.1
- B. 10.10.10.1
- C. 20.20.20.10
- D. 20.20.20.200

Answer: B

9. Review the exhibit.

Which two of the following elements must be configured on the ScreenOS device in order to support PIM-SM? (Choose two)

- A. A multicast control policy
- B. A bootstrap router process
- C. A unicast routing protocol
- D. A static RP

Answer: AC

10. Click the Exhibit button.

In the exhibit, which two can be determined about the VPN? (Choose two.)

- A. NAT-traversal is enabled.
- B. The rekey interval is 8 hours.
- C. This device initiated the Phase 1 negotiations.
- D. The certificate used in this exchange is set to never expire.

Answer: BC

11. Click the Exhibit button.

In the exhibit, the firewall administrator at the Storefront is complaining that when the communication to the DataCenter1 fails, the preexisting transfers and applications are dropped when the traffic is switched to DataCenter2.

Which statement explains this behavior?

- A. SYN checking is enabled in the tunnel.
- B. The weight value for the DataCenter2 is too high.
- C. VPN monitor is misconfigured in the DataCenter2.
- D. Phase 1 and Phase 2 negotiations to DataCenter2 did not occur on time.

Answer: A

12. You have configured the following on your device.

```
set address trust MyPC 10.1.1.5/32
```

```
set address untrust CorpNet 10.10.0.0/16
```

```
set policy from trust to untrust MyPC CorpNet any permit
```

```
set int tunnel.1 zone untrust
```

```
set int tunnel.1 ip unnumbered int bgroup1
```

```
set ike gateway GW address 1.1.1.1 outgoing-interface e0/1 preshare Secret sec-level standard
```

```
set vpn VPN gateway GW sec-level standard
```

The VPN is not working properly. What is the problem?

- A. The policy needs to have the action tunnel.
- B. The VPN needs to be bound to the tunnel interface.
- C. The tunnel interface needs to be placed in the trust zone.
- D. The tunnel interface needs to be associated with the interface in the untrust zone.

Answer: B

13. Which three statements are true regarding IKE Phase 1? (Choose three.)

- A. Placing the SA proposal list in message 1 is an option.
- B. The digital certificate is used to decrypt the session key.
- C. The DH key exchange is used to validate the session key.
- D. The DH key exchange and digital certificates are both optional.
- E. The proxy-id is used to determine which SA is referenced for the VPN.

Answer: ABC

14. You have implemented a hub and spoke VPN. On the hub, there are two tunnel interfaces, one to each spoke. Both tunnel interfaces are in the same zone.

Which two configuration options will control traffic between the spokes? (Choose two.)

- A. Configure the common zone to block inter-zone traffic.
- B. Configure the common zone to block intra-zone traffic.
- C. Configure each tunnel interface to block intra-zone traffic.
- D. Configure one of the tunnel interfaces in a different zone and a set of policies.

Answer: BD

15. Click the Exhibit button.

Review the exhibit. Track-ip has failed on the device, but the device did not fail over to the second unit in the cluster:

Why has failover not occurred?

- A. The physical interfaces have not failed.
- B. The track-ip interval is not sufficient to cause failover.
- C. The track-ip address weight is not sufficient to cause failover.
- D. The track-ip address threshold is not sufficient to cause failover.

Answer: C

16. Which three OSPF parameters are interface parameters? (Choose three.)

- A. cost
- B. priority
- C. neighbor list
- D. summarization
- E. advertise default route

Answer: ABC

17. Which command is used to verify that IGMP is running correctly?

- A. get route igmp
- B. get igmp query
- C. set igmp query interface e0/1
- D. exec igmp interface e0/1 query

Answer: D

18. Click the Exhibit button.

In the exhibit, what is the address of the multicast receiver?

- A. 234.9.8.42
- B. 192.168.10.2
- C. 192.168.20.10
- D. 192.168.20.200

Answer: D

19. You have entered the command

```
set ffilter src-ip 1.1.7.250 dst-ip 10.1.10.5 ip-prot 6
```

What will be the resulting output in the debug for which this was created?

- A. If the packet has a src-ip of 1.1.7.250 or a dst-ip of 10.1.10.5 or has TCP as its protocol then it will be captured
- B. If the packet has a src-ip of 1.1.7.250 or a dst-ip of 10.1.10.5 or has UDP as its protocol then it will be captured
- C. If the packet has a src-ip of 1.1.7.250 and a dst-ip of 10.1.10.5 and has TCP as its protocol then it will be captured
- D. If the packet has a src-ip of 1.1.7.250 and a dst-ip of 10.1.10.5 and has UDP as its protocol then it will be captured

Answer: C

20. During main mode negotiations a failure has occurred while using IKE certificates.

Which message pair would you review to troubleshoot this failure?

- A. messages 1 & 2
- B. messages 2 & 3
- C. messages 3 & 4
- D. messages 5 & 6

Answer: D

More [jn0-531 Braindumps](#) Information

#### Related jn0-531 Exams

JN0-331	jn0-531	JN0-350	jn0-330	JN0-532
jn0-303	jn0-130	jn0-530		

#### Other Juniper Networks Exams

jn0-120	jn0-570	JN0-141	JN0-340	jn0-541
jn0-561	jn0-320	JN0-350	JN0-311	JN0-342
jn0-531	JN0-321	jn0-303	jn0-540	JN0-100
JN0-522	jn0-201	JN0-400	JN0-532	jn0-520